

平成29年度全国高等学校総合体育大会  
水泳競技大会 飛込競技

採点詳細

男子 3m 飛板飛込 決勝

開催日 2017/08/18

セントラルスポーツ 宮城G217プール

審判長 高橋 亜紀

審判団

制限選択飛回数 5回  
自由選択飛回数 6回  
難易率合計 9.5以内  
気温 28.5℃  
水温 26.9℃  
天候 室内

副審判長 佐藤 賢一  
機械操作 岩崎 幸彦  
記録主任 仲谷 正紀

1 鈴木 羊子  
2 齊藤 功  
3 岡部美恵子  
4 西川 友章  
5 宮本基一郎  
6 澄川真寿美  
7 高橋 史倫

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
12	1	伊藤 光輝									東 京・帝京			40.50	1	40.50	1		595.40
		201B	3.0	1.8	7.5	7.5	7.5	7.5	7.5	6.5	7.5	8.0		40.50	1	40.50	1		
		301B	3.0	1.9	7.5	6.5	6.5	7.0	7.0	7.5	6.5	7.0		38.95	7	79.45	3	7.00	
		103B	3.0	1.6	8.0	8.0	7.5	8.0	7.5	7.0	7.0	8.0		37.60	8	117.05	5	17.70	
		403B	3.0	2.1	7.5	7.0	7.5	7.5	7.0	7.0	7.0	7.5		46.20	4	163.25	3	12.00	
		5132D	3.0	2.1	6.5	7.0	7.5	6.5	6.5	6.5	7.5	7.5		44.10	=3	207.35	4	11.60	
		107B	3.0	3.1	6.5	8.0	7.5	8.5	7.5	7.5	8.0	7.5		71.30	1	278.65	1		
		205B	3.0	3.0	6.5	8.0	7.5	7.5	7.5	7.5	7.0	7.5		67.50	2	346.15	1		
		305B	3.0	3.0	4.5	5.0	5.5	5.0	4.5	4.5	4.5	5.5		43.50	8	389.65	2	5.35	
		405B	3.0	3.0	7.5	8.5	8.0	7.0	7.0	7.0	7.0	7.0		64.50	4	454.15	2	6.85	
		307C	3.0	3.5	6.5	6.0	6.0	6.5	5.5	5.5	6.5	6.0		64.75	2	518.90	3	5.10	
		5154B	3.0	3.4	7.5	7.5	7.5	7.5	8.0	7.0	7.0	7.5		76.50	1	595.40	1		
11	2	中 秀太郎									石 川・小松市立			39.20	=2	39.20	=2	1.30	587.00
		103B	3.0	1.6	8.0	8.0	8.0	8.5	8.0	8.0	8.5	8.5		39.20	=2	39.20	=2	1.30	
		201B	3.0	1.8	6.5	5.5	7.0	5.5	6.0	6.0	6.5	6.5		34.20	12	73.40	=8	13.05	
		301B	3.0	1.9	7.0	6.5	7.0	6.0	7.0	7.0	7.0	6.5		38.95	7	112.35	8	22.40	
		403B	3.0	2.1	7.0	7.5	7.5	7.0	7.0	7.0	7.0	7.5		45.15	=5	157.50	9	17.75	
		5132D	3.0	2.1	8.5	7.5	8.0	7.5	7.5	8.5	8.0	8.0		49.35	1	206.85	5	12.10	
		107B	3.0	3.1	7.0	6.5	7.0	7.5	7.5	7.0	7.0	7.5		66.65	2	273.50	2	5.15	
		5152B	3.0	3.0	7.5	7.5	7.5	8.5	8.5	7.0	8.5	8.5		70.50	1	344.00	2	2.15	
		5154B	3.0	3.4	5.5	4.5	5.5	4.5	6.0	5.0	4.5	4.5		51.00	6	395.00	1		
		205B	3.0	3.0	7.0	7.5	7.5	7.5	7.5	7.0	7.0	7.0		66.00	1	461.00	1		
		305B	3.0	3.0	7.5	6.5	7.0	7.0	7.0	7.0	7.0	7.0		63.00	=3	524.00	1		
		405B	3.0	3.0	7.0	7.0	7.5	6.0	6.5	7.0	7.0	7.0		63.00	=4	587.00	2	8.40	
10	3	西田 玲雄									大 阪・桃山学院			39.20	=2	39.20	=2	1.30	581.90
		103B	3.0	1.6	8.0	8.5	8.0	8.0	8.5	8.5	8.0	8.0		39.20	=2	39.20	=2	1.30	
		5132D	3.0	2.1	7.5	6.5	7.5	7.5	7.5	7.5	7.0	7.0		47.25	1	86.45	1		
		403B	3.0	2.1	8.0	7.5	7.5	7.5	8.0	8.0	8.0	7.0		48.30	1	134.75	1		
		201B	3.0	1.8	7.5	7.0	7.5	7.5	7.5	7.5	7.0	7.0		40.50	12	175.25	1		
		301B	3.0	1.9	8.0	8.0	7.5	8.0	7.5	7.5	7.5	7.5		43.70	6	218.95	1		
		305B	3.0	3.0	6.0	6.0	5.5	5.5	6.0	5.0	6.0	6.0		52.50	8	271.45	3	7.20	
		205B	3.0	3.0	6.0	6.0	6.0	6.0	6.0	6.5	6.5	6.5		54.00	7	325.45	3	20.70	
		5335D	3.0	2.9	7.5	7.5	7.0	7.0	7.5	7.0	7.0	7.0		62.35	2	387.80	3	7.20	
		107B	3.0	3.1	7.0	7.0	7.0	7.0	7.5	8.0	7.0	7.0		65.10	=2	452.90	3	8.10	
		5152B	3.0	3.0	7.5	8.0	7.5	8.0	7.5	8.0	7.0	7.0		69.00	1	521.90	2	2.10	
		405B	3.0	3.0	6.0	7.0	6.5	6.5	7.0	6.5	7.0	7.0		60.00	7	581.90	3	13.50	
3	4	大竹 玲央									群 馬・高崎商科			36.90	5	36.90	5	3.60	552.95
		201B	3.0	1.8	7.5	6.5	6.5	7.0	6.5	7.0	7.0	7.0		36.90	5	36.90	5	3.60	
		103B	3.0	1.6	8.0	8.0	7.5	8.0	8.5	8.0	8.0	8.0		38.40	8	75.30	6	11.15	
		301B	3.0	1.9	8.0	7.0	7.5	7.0	7.5	8.0	7.5	7.5		42.75	2	118.05	3	16.70	
		403B	3.0	2.1	7.0	7.0	7.0	7.0	7.0	7.5	7.0	7.0		44.10	9	162.15	4	13.10	
		5132D	3.0	2.1	7.0	7.0	7.5	7.5	7.5	7.5	7.5	7.5		47.25	2	209.40	3	9.55	
		107B	3.0	3.1	5.5	5.0	6.0	6.5	6.0	5.5	6.0	6.0		54.25	5	263.65	4	15.00	
		305C	3.0	2.8	7.0	7.5	7.0	7.5	7.5	7.0	7.5	7.5		61.60	3	325.25	4	20.90	
		5152B	3.0	3.0	6.5	6.5	6.5	6.5	6.5	5.5	6.0	6.0		58.50	=3	383.75	4	11.25	
		205B	3.0	3.0	6.5	6.0	6.0	6.0	6.0	5.5	6.5	6.5		54.00	7	437.75	4	23.25	
		5335D	3.0	2.9	6.0	6.5	5.0	6.0	6.0	6.5	6.0	6.0		52.20	10	489.95	4	34.05	
		405B	3.0	3.0	7.5	7.0	7.0	7.0	7.5	7.0	7.0	7.0		63.00	=4	552.95	4	42.45	
8	5	金子 舜汰									東 京・青山学院			35.20	=7	35.20	=7	5.30	549.95
		103B	3.0	1.6	7.5	7.0	7.0	7.0	7.5	7.5	7.5	7.5		35.20	=7	35.20	=7	5.30	
		201B	3.0	1.8	7.0	7.0	7.0	7.5	7.5	7.0	7.0	7.0		37.80	=9	73.00	10	13.45	
		301B	3.0	1.9	6.5	6.0	5.5	6.5	6.0	6.5	6.0	6.0		35.15	=10	108.15	11	26.60	
		403B	3.0	2.1	7.0	7.0	7.0	8.0	7.5	8.0	7.0	7.0		45.15	=5	153.30	12	21.95	
		5132D	3.0	2.1	7.0	5.0	7.0	6.5	7.5	6.5	6.5	6.5		42.00	8	195.30	11	23.65	
		107B	3.0	3.1	5.5	6.0	6.5	6.5	6.0	5.5	7.0	7.0		57.35	3	252.65	8	26.00	
		5152B	3.0	3.0	6.5	6.5	6.5	7.0	6.5	6.0	6.5	6.5		58.50	=4	311.15	6	35.00	
		5154B	3.0	3.4	6.5	7.0	6.5	6.0	6.5	6.5	6.0	6.0		66.30	1	377.45	5	17.55	
		205B	3.0	3.0	6.0	5.5	5.5	5.5	4.5	6.0	5.0	5.0		49.50	11	426.95	5	34.05	
		305B	3.0	3.0	6.5	6.0	7.0	5.5	6.5	7.0	6.5	6.5		58.50	=7	485.45	5	38.55	
		405B	3.0	3.0	7.0	7.5	7.0	7.0	7.5	7.5	7.0	7.0		64.50	2	549.95	5	45.45	

平成29年度全国高等学校総合体育大会  
水泳競技大会 飛込競技

採点詳細

男子 3m 飛板飛込 決勝

開催日 2017/08/18

セントラルスポーツ 宮城G21プール

審判長 高橋 亜紀

審判団

制限選択飛回数 5回  
自由選択飛回数 6回  
難易率合計 9.5以内  
気温 28.5℃  
水温 26.9℃  
天候 室内

副審判長 佐藤 賢一  
機械操作 岩崎 幸彦  
記録主任 仲谷 正紀

1 鈴木 羊子  
2 齊藤 功  
3 岡部美恵子  
4 西川 友章  
5 宮本基一郎  
6 澄川真寿美  
7 高橋 史倫

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
6	6	井戸畑 和馬									大阪・常翔学園	8.0	7.0		33.60	=10	33.60	=10	6.90	537.45
		103B	3.0	1.6	8.0	7.0	7.0	6.5	6.5	6.5	8.0	7.0			40.95	5	74.55	7	11.90	
		5132D	3.0	2.1	6.0	6.5	6.5	6.0	6.5	6.5	6.5	6.5			40.95	4	115.50	7	19.25	
		403B	3.0	2.1	6.5	7.0	6.5	7.0	6.5	6.5	6.5	6.5			43.20	10	158.70	8	16.55	
		201B	3.0	1.8	8.0	8.0	8.0	7.5	7.5	7.5	8.5	8.0			40.85	11	199.55	9	19.40	
		301B	3.0	1.9	7.5	7.0	7.0	7.5	7.0	7.0	7.5	7.0			53.20	6	252.75	7	25.90	
		305C	3.0	2.8	6.5	6.5	6.5	6.0	6.0	6.0	6.5	6.0			56.55	6	309.30	7	36.85	
		5335D	3.0	2.9	6.5	7.0	5.5	6.5	6.0	6.0	6.5	7.0			58.50	=3	367.80	6	27.20	
		205B	3.0	3.0	7.0	6.5	6.5	6.0	7.0	7.0	6.5	6.5			51.15	8	418.95	7	42.05	
		107B	3.0	3.1	5.5	5.0	5.0	5.0	6.0	6.0	6.0	6.5			61.50	6	480.45	7	43.55	
		5152B	3.0	3.0	6.5	6.0	6.5	7.0	7.0	7.0	7.0	7.0			57.00	=10	537.45	6	57.95	
		405B	3.0	3.0	6.5	6.5	6.5	5.5	6.0	7.0	6.0									
9	7	遠藤 拓人									東京・帝京	8.0	8.0		38.40	4	38.40	4	2.10	534.65
		103B	3.0	1.6	8.0	8.5	8.0	7.5	8.0	8.0	8.0	8.0			43.20	2	81.60	2	4.85	
		201B	3.0	1.8	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0			35.15	=10	116.75	6	18.00	
		301B	3.0	1.9	5.5	5.5	7.0	6.0	6.0	6.0	6.5	6.5			45.15	=5	161.90	5	13.35	
		403B	3.0	2.1	7.0	6.5	7.0	7.5	7.0	7.5	7.5	7.5			40.95	=9	202.85	7	16.10	
		5132D	3.0	2.1	6.0	6.0	7.0	5.5	7.5	6.5	6.5	7.5			57.00	4	259.85	5	18.80	
		205B	3.0	3.0	6.5	7.0	7.0	6.0	5.5	6.5	6.5	5.5			58.50	=4	318.35	5	27.80	
		5152B	3.0	3.0	6.5	6.5	6.5	7.0	6.5	7.0	6.0	6.0			36.00	11	354.35	8	40.65	
		305B	3.0	3.0	3.5	4.5	4.0	3.5	3.0	4.5	4.5	4.5			65.10	=2	419.45	6	41.55	
		107B	3.0	3.1	6.5	7.0	7.0	6.5	7.0	7.5	7.0	7.0			63.00	=3	482.45	6	41.55	
		405B	3.0	3.0	7.0	7.0	7.5	7.0	6.5	7.0	7.0	7.0			52.20	12	534.65	7	60.75	
		5335D	3.0	2.9	6.5	6.0	6.0	6.0	5.0	6.5	5.5	5.5								
1	8	中川 虎太郎									石川・小松大谷	7.5	7.5		36.00	6	36.00	6	4.50	512.50
		103B	3.0	1.6	7.5	8.0	7.5	8.0	7.5	7.5	7.5	7.5			39.60	6	75.60	5	10.85	
		201B	3.0	1.8	7.0	7.0	8.0	8.0	7.0	7.5	7.5	7.5			41.80	3	117.40	4	17.35	
		301B	3.0	1.9	7.5	6.0	7.5	7.5	7.0	7.0	7.0	7.5			43.05	11	160.45	7	14.80	
		403B	3.0	2.1	7.0	6.0	7.5	6.5	7.0	7.0	6.5	6.5			43.05	7	203.50	6	15.45	
		5132D	3.0	2.1	6.5	6.5	7.0	7.5	6.5	7.0	7.0	7.0			52.70	7	256.20	6	22.45	
		107B	3.0	3.1	5.5	5.0	6.0	5.5	6.0	5.0	6.0	6.0			49.50	9	305.70	8	40.45	
		5152B	3.0	3.0	5.5	5.5	6.0	5.5	5.0	5.5	6.5	6.5			49.30	7	355.00	7	40.00	
		5154B	3.0	3.4	4.5	5.0	6.0	5.0	4.5	5.0	4.5	4.5			57.00	6	412.00	8	49.00	
		205B	3.0	3.0	6.0	6.5	6.5	6.5	6.0	6.0	6.5	6.5			42.00	12	454.00	8	70.00	
		305B	3.0	3.0	4.5	5.0	5.5	4.5	4.5	6.0	4.5	4.5			58.50	9	512.50	8	82.90	
		405B	3.0	3.0	6.0	6.0	6.5	7.0	6.5	6.5	7.0	7.0								
7	9	山田 周汰									東京・帝京	7.5	6.5		32.00	12	32.00	12	8.50	499.70
		103B	3.0	1.6	7.0	6.5	7.0	6.5	6.0	7.5	6.5	6.5			41.40	4	73.40	=8	13.05	
		201B	3.0	1.8	8.0	7.0	8.0	8.0	7.5	7.5	7.5	7.5			36.10	9	109.50	10	25.25	
		301B	3.0	1.9	6.5	6.0	6.0	6.5	6.5	6.5	7.5	6.0			45.15	=5	154.65	10	20.60	
		403B	3.0	2.1	7.0	7.0	7.5	7.5	6.5	7.5	7.0	7.0			37.80	12	192.45	12	26.50	
		5132D	3.0	2.1	6.5	5.5	6.0	6.0	5.5	6.5	6.0	6.0			51.15	9	243.60	11	35.05	
		107B	3.0	3.1	5.5	6.0	6.0	5.0	5.0	6.0	5.0	5.0			33.00	11	276.60	11	69.55	
		205B	3.0	3.0	3.5	4.0	4.0	3.5	3.5	4.5	3.0	3.0			58.50	=3	335.10	9	59.90	
		305B	3.0	3.0	6.5	6.5	6.0	6.5	7.0	7.0	6.5	6.5			37.80	12	372.90	11	88.10	
		405C	3.0	2.7	4.5	5.0	5.0	3.5	4.5	5.0	4.0	4.0			63.00	=3	435.90	9	88.10	
		5152B	3.0	3.0	7.0	6.5	6.5	7.0	7.5	7.5	7.0	7.0			63.80	3	499.70	9	95.70	
		5335D	3.0	2.9	7.5	7.0	6.5	5.5	7.5	8.0	7.5	7.5								
5	10	松本 慧									山形・米沢東	7.0	7.0		33.60	=10	33.60	=10	6.90	493.85
		103B	3.0	1.6	7.0	7.0	7.5	7.5	7.0	7.0	7.0	7.0			37.80	=9	71.40	12	15.05	
		201B	3.0	1.8	7.0	7.0	7.0	7.0	6.0	7.0	7.0	7.0			39.90	6	111.30	9	23.45	
		301B	3.0	1.9	7.0	6.5	7.0	7.0	7.5	7.0	7.0	7.0			49.35	1	160.65	6	14.60	
		403B	3.0	2.1	7.0	8.0	7.5	7.0	8.0	8.5	8.5	8.5			40.95	=9	201.60	8	17.35	
		5132D	3.0	2.1	6.5	7.0	6.5	7.0	6.5	6.5	6.5	6.5			49.50	=10	251.10	9	27.55	
		5152B	3.0	3.0	5.5	5.0	5.5	6.0	6.0	5.5	5.5	5.5			52.50	8	303.60	9	42.55	
		205B	3.0	3.0	5.5	6.0	5.5	7.0	6.0	5.0	7.0	7.0			10.50	12	314.10	11	80.90	
		305B	3.0	3.0	1.5	1.0	1.5	0.5	1.5	0.5	1.0	1.0			60.90	5	375.00	10	86.00	
		5335D	3.0	2.9	6.5	7.5	6.5	7.0	7.5	7.0	7.0	7.0			57.35	9	432.35	10	91.65	
		107B	3.0	3.1	6.0	6.0	6.0	6.5	6.0	6.5	6.5	6.5			61.50	6	493.85	10	101.55	
		405B	3.0	3.0	7.0	6.5	6.5	6.0	7.0	7.5	7.0	7.0								

平成29年度全国高等学校総合体育大会  
水泳競技大会 飛込競技

採点詳細

男子 3m 飛板飛込 決勝

開催日 2017/08/18

セントラルスポーツ 宮城G21プール

審判長 高橋 亜紀

審判団

制限選択飛回数 5回

副審判長 佐藤 賢一

1 鈴木 羊子

自由選択飛回数 6回

2 斉藤 功

難易率合計 9.5以内

機械操作 岩崎 幸彦

3 岡部美恵子

気温 28.5℃

4 西川 友章

水温 26.9℃

記録主任 仲谷 正紀

5 宮本基一郎

天候 室内

6 澄川真寿美

7 高橋 史倫

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
2	11	江藤 真透									大分・杵築										
		103B	3.0	1.6	7.5	7.0	7.0	7.0	7.5	7.5	7.0	7.0			34.40	9	34.40	9	6.10	485.80	
		201B	3.0	1.8	7.5	7.0	7.0	7.0	7.0	7.0	6.5	7.0			37.80	=9	72.20	11	14.25		
		301B	3.0	1.9	6.0	6.0	6.5	5.0	5.5	6.5	6.0	6.0			34.20	12	106.40	12	28.35		
		403B	3.0	2.1	7.5	7.5	7.5	7.5	7.5	7.0	7.5	7.0			47.25	=2	153.65	11	21.60		
		5132D	3.0	2.1	7.0	6.0	7.0	7.0	7.0	7.0	7.0	7.0			44.10	=3	197.75	10	21.20		
		405B	3.0	3.0	5.5	5.5	7.0	5.5	5.5	6.0	5.5	5.5			49.50	=10	247.25	10	31.40		
		205B	3.0	3.0	5.0	5.0	5.5	4.5	5.0	5.0	5.0	5.0			45.00	10	292.25	10	53.90		
		107B	3.0	3.1	4.0	4.5	4.0	3.5	4.5	4.0	4.5	4.0			38.75	9	331.00	10	64.00		
		5152B	3.0	3.0	5.5	5.5	6.0	5.5	5.5	6.0	6.0	6.0			51.00	9	382.00	9	79.00		
		305B	3.0	3.0	5.0	5.0	5.0	5.0	4.5	5.0	5.0	5.0			45.00	11	427.00	11	97.00		
		5235D	3.0	2.8	6.5	5.0	7.0	7.0	7.0	7.0	7.0	7.0			58.80	8	485.80	11	109.60		
4	12	檀野 脩人									京 都・京都外大										
		103B	3.0	1.6	7.0	8.0	7.5	7.5	7.0	7.0	7.5	7.0			35.20	=7	35.20	=7	5.30	465.10	
		201B	3.0	1.8	8.0	8.5	7.5	8.0	7.0	8.0	7.5	7.5			42.30	3	77.50	4	8.95		
		301B	3.0	1.9	7.0	7.0	7.0	7.0	7.5	7.5	7.5	7.5			40.85	5	118.35	2	16.40		
		403B	3.0	2.1	7.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5			47.25	=2	165.60	2	9.65		
		5132D	3.0	2.1	6.5	7.0	7.0	7.0	7.5	7.0	6.5	6.5			44.10	=3	209.70	2	9.25		
		305B	3.0	3.0	2.5	2.0	2.0	3.0	3.0	2.5	3.0	3.0			24.00	12	233.70	12	44.95		
		205B	3.0	3.0	2.5	3.5	2.5	3.0	4.0	4.5	3.0	3.0			28.50	12	262.20	12	83.95		
		5235D	3.0	2.8	3.5	5.0	3.5	5.0	4.5	4.0	5.0	5.0			37.80	10	300.00	12	95.00		
		107B	3.0	3.1	5.0	5.0	5.0	5.5	5.5	6.0	6.0	6.0			49.60	10	349.60	12	111.40		
		5152B	3.0	3.0	5.5	6.5	6.5	6.5	6.0	7.0	6.5	6.5			58.50	=7	408.10	12	115.90		
		405B	3.0	3.0	6.5	6.0	6.5	6.5	5.0	7.5	5.5	5.5			57.00	=10	465.10	12	130.30		