

平成29年度 日本室内選手権飛込競技大会  
兼国際大会選手選考会

採点詳細

男子 高飛込 決勝

開催日 2017/06/11  
東京辰巳国際水泳場

審判長 小谷 理貴子

審判団

制限選択飛回数 0回  
自由選択飛回数 6回  
難易率合計 以内  
気温 26.0℃  
水温 28.0℃  
天候

副審判長 阿部 しげの  
機械操作 矢作 貴則  
記録主任 伊地知 健

1 坂井由美子  
2 二木 廣幸  
3 布村 隆  
4 安田千万樹  
5 吉原 直博  
6 湯浅 よしの  
7 高橋 亜紀

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
10	1	村上 和基									J S S 白子									
			407C	10.0	3.2	8.0	8.0	8.5	8.0	8.0	8.0	8.5			76.80	1	76.80	1		428.20
			6243D	10.0	3.2	7.0	8.0	8.0	7.5	7.5	8.0	7.5			73.60	1	150.40	1		
			207B	10.0	3.6	7.0	7.5	8.5	7.5	7.5	8.0	8.0			82.80	1	233.20	1		
			107B	10.0	3.0	8.0	8.0	8.0	8.5	8.5	8.0	8.0			72.00	2	305.20	1		
			307C	10.0	3.4	5.5	5.0	4.5	4.5	5.0	5.0	5.0			51.00	8	356.20	1		
			5253B	10.0	3.2	7.5	7.5	7.0	7.5	7.0	8.0	8.0			72.00	4	428.20	1		
11	2	西田 玲雄									桃山学/大阪水泳									
			307C	10.0	3.4	6.5	6.0	5.5	6.0	6.0	6.0	7.0			61.20	4	61.20	4	15.60	396.15
			207C	10.0	3.3	5.0	3.5	4.0	3.0	4.5	4.0	4.5			41.25	9	102.45	7		47.95
			5253B	10.0	3.2	6.5	7.0	6.5	7.5	7.5	7.0	7.0			67.20	=4	169.65	5		63.55
			407C	10.0	3.2	7.5	8.0	8.0	8.0	8.0	8.5	7.5			76.80	1	246.45	3		58.75
			107B	10.0	3.0	7.0	8.0	7.5	8.5	7.5	8.0	8.5			70.50	1	316.95	3		39.25
			6245D	10.0	3.6	7.0	7.5	7.0	8.0	7.0	7.5	7.5			79.20	1	396.15	2		32.05
12	3	萩田 拓馬									静岡ビル保善									
			107B	10.0	3.0	7.0	6.5	7.0	7.0	7.0	7.0	7.0			63.00	3	63.00	3	13.80	395.10
			307C	10.0	3.4	7.0	6.5	7.0	7.5	6.0	6.5	7.0			69.70	2	132.70	2		17.70
			407C	10.0	3.2	8.0	8.0	7.0	7.5	8.5	7.5	8.0			75.20	2	207.90	2		25.30
			6245D	10.0	3.6	6.0	6.5	6.0	5.5	5.5	7.0	7.0			66.60	3	274.50	2		30.70
			207B	10.0	3.6	4.5	4.5	4.0	3.5	4.0	4.0	4.0			43.20	11	317.70	2		38.50
			5255B	10.0	3.6	6.5	7.5	7.0	7.5	8.0	7.0	7.0			77.40	2	395.10	3		33.10
9	4	中 秀太郎									小松市立									
			107B	10.0	3.0	6.0	6.5	6.0	7.5	6.5	6.5	6.5			58.50	5	58.50	5	18.30	383.30
			407C	10.0	3.2	5.5	6.0	6.0	6.0	5.0	5.5	5.5			54.40	6	112.90	5		37.50
			207C	10.0	3.3	6.5	7.0	7.0	7.5	6.5	7.5	7.0			69.30	3	182.20	4		51.00
			5253B	10.0	3.2	7.0	6.0	6.5	6.5	6.0	6.5	7.0			62.40	5	244.60	4		60.60
			6243D	10.0	3.2	7.0	6.0	6.5	7.5	5.0	7.0	7.0			65.60	4	310.20	4		46.00
			307C	10.0	3.4	6.0	7.5	7.0	7.5	6.5	7.0	7.5			73.10	3	383.30	4		44.90
8	5	大塚 千誠									日本大									
			107B	10.0	3.0	6.0	6.5	5.5	6.0	6.0	7.0	7.0			55.50	6	55.50	6	21.30	361.45
			207C	10.0	3.3	6.0	6.0	7.0	6.0	6.0	6.5	6.5			61.05	3	116.55	3		33.85
			407C	10.0	3.2	7.0	7.0	6.5	7.0	7.0	7.0	7.0			67.20	=4	183.75	3		49.45
			307C	10.0	3.4	6.0	6.0	6.0	5.0	4.5	5.0	5.5			56.10	7	239.85	5		65.35
			6243D	10.0	3.2	6.5	6.5	6.5	7.5	6.5	7.0	6.5			62.40	6	302.25	5		53.95
			5253B	10.0	3.2	6.0	6.0	6.0	7.0	6.0	7.0	6.5			59.20	8	361.45	5		66.75

平成29年度 日本室内選手権飛込競技大会  
兼国際大会選手選考会

採点詳細

男子 高飛込 決勝

開催日 2017/06/11  
東京辰巳国際水泳場

審判長 小谷 理貴子

審判団

制限選択飛回数 0回  
自由選択飛回数 6回  
難易率合計 以内  
気温 26.0℃  
水温 28.0℃  
天候

副審判長 阿部 しげの

1 坂井由美子

2 二木 廣幸

機械操作 矢作 貴則

3 布村 隆

4 安田千万樹

記録主任 伊地知 健

5 吉原 直博

6 湯浅 よしの

7 高橋 亜紀

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
6	6	新良貴 優									福井体協							
		107B	10.0	3.0	6.0	6.0	4.5	6.0	6.5	6.0	6.0 5.5		54.00	7	54.00	7	22.80	359.30
		407C	10.0	3.2	6.0	7.5	6.5	6.0	6.0	6.5 7.0		60.80	4	114.80	4	35.60		
		626C	10.0	3.3	5.0	4.0	5.0	4.0	4.5	4.0 5.0		44.55	9	159.35	6	73.85		
		207C	10.0	3.3	6.0	6.0	6.5	6.5	7.0	6.5 6.5		64.35	4	223.70	6	81.50		
		307C	10.0	3.4	6.5	6.0	6.0	6.0	7.0	7.0 7.0		66.30	3	290.00	6	66.20		
		5237D	10.0	3.3	6.5	6.0	7.0	7.0	7.0	7.0 7.0		69.30	5	359.30	6	68.90		
7	7	岡島 太一									日本体育大							
		407C	10.0	3.2	5.5	5.0	6.0	5.5	5.5	5.5 5.5		52.80	8	52.80	8	24.00	324.20	
		307C	10.0	3.4	3.5	4.5	4.0	3.5	5.0	4.5 4.0		42.50	8	95.30	8	55.10		
		6243D	10.0	3.2	6.0	4.5	6.0	5.5	5.5	5.5 6.0		54.40	6	149.70	7	83.50		
		207B	10.0	3.6	4.0	5.5	4.0	3.5	5.0	4.5 4.5		46.80	9	196.50	7	108.70		
		109C	10.0	3.7	5.5	6.0	5.0	5.5	5.5	6.0 6.0		62.90	5	259.40	7	96.80		
		5255B	10.0	3.6	6.0	5.5	6.0	6.0	6.0	6.5 5.0		64.80	6	324.20	7	104.00		
5	8	井戸畑 和馬									常翔学/大阪水泳							
		6243D	10.0	3.2	4.5	4.0	5.0	5.5	6.0	4.5 4.5		44.80	10	44.80	10	32.00	312.00	
		305C	10.0	2.8	4.5	3.0	4.0	4.5	4.5	4.5 4.0		36.40	11	81.20	10	69.20		
		207C	10.0	3.3	4.0	4.0	4.0	4.0	4.5	4.0 4.0		39.60	10	120.80	10	112.40		
		5253B	10.0	3.2	6.5	6.5	5.5	6.0	6.0	6.5 6.5		60.80	6	181.60	9	123.60		
		407C	10.0	3.2	7.0	7.0	7.5	7.5	7.5	7.0 8.0		70.40	2	252.00	8	104.20		
		107B	10.0	3.0	6.5	7.0	6.0	7.0	7.0	6.5 6.5		60.00	7	312.00	8	116.20		
4	9	金戸 快									日出高/セントラルD							
		614B	10.0	2.4	5.5	6.0	6.0	7.0	6.0	6.5 6.0		43.20	11	43.20	11	33.60	295.20	
		107B	10.0	3.0	5.5	5.0	5.5	5.5	5.5	5.0 5.5		49.50	7	92.70	9	57.70		
		207C	10.0	3.3	4.5	5.0	5.0	4.5	5.5	5.0 5.0		49.50	8	142.20	8	91.00		
		407C	10.0	3.2	5.0	5.0	5.5	5.0	5.5	4.5 4.5		48.00	8	190.20	8	115.00		
		5235D	10.0	2.8	5.0	7.0	6.0	6.5	5.5	5.5 6.0		49.00	9	239.20	9	117.00		
		305C	10.0	2.8	6.5	6.5	7.0	6.0	7.5	6.5 7.5		56.00	9	295.20	9	133.00		
3	10	荒木 宥図									日本体育大							
		107B	10.0	3.0	7.0	6.5	7.5	7.5	7.5	7.0 7.0		64.50	2	64.50	2	12.30	260.70	
		307C	10.0	3.4	5.0	3.5	4.5	3.0	3.0	4.5 4.0		40.80	10	105.30	6	45.10		
		626C	10.0	3.3	1.5	3.0	3.5	2.0	2.5	2.5 2.0		23.10	12	128.40	9	104.80		
		407C	10.0	3.2	4.5	5.5	5.5	5.0	4.5	5.0 4.5		46.40	10	174.80	10	130.40		
		207C	10.0	3.3	4.0	4.0	3.5	2.5	3.5	4.0 3.5		36.30	12	211.10	10	145.10		
		5253B	10.0	3.2	5.5	5.0	5.5	6.0	5.0	5.0 5.0		49.60	10	260.70	10	167.50		

平成29年度 日本室内選手権飛込競技大会  
兼国際大会選手選考会

採点詳細

男子 高飛込 決勝

開催日 2017/06/11  
東京辰巳国際水泳場

審判長 小谷 理貴子  
副審判長 阿部 しげの  
機械操作 矢作 貴則  
記録主任 伊地知 健

審判団  
1 坂井由美子  
2 二木 廣幸  
3 布村 隆  
4 安田千万樹  
5 吉原 直博  
6 湯浅 よしの  
7 高橋 亜紀

制限選択飛回数 0回  
自由選択飛回数 6回  
難易率合計 以内  
気温 26.0℃  
水温 28.0℃  
天候

演技順	順位	氏名		所 属														
		Type	Height	DD	(1)	(2)	(3)	(4)	(5)	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
2	11	野口 基勝			ノグチ モトキ							福山平成大学						
		107B	10.0	3.0	5.5	4.5	5.0	5.0	4.5	5.0	6.0		45.00	9	45.00	9	31.80	243.95
		407C	10.0	3.2	1.5	2.0	3.0	2.5	1.5	2.5	2.0		20.80	12	65.80	11	84.60	
		6243D	10.0	3.2	5.0	5.5	5.5	5.5	5.0	5.0	5.0		49.60	7	115.40	11	117.80	
		205C	5.0	3.0	4.0	4.5	5.0	4.0	3.5	4.5	3.5		37.50	11	152.90	11	152.30	
		305C	5.0	3.1	5.5	5.0	5.0	4.5	6.0	5.0	4.0		46.50	10	199.40	11	156.80	
		5237D	10.0	3.3	3.5	5.0	2.5	4.5	4.5	4.5	5.5		44.55	11	243.95	11	184.25	
1	12	太田 瑠輝			オタ リュウキ							福山平成大学						
		626C	10.0	3.3									Fault	12	0.00	12	76.80	217.90
		107B	10.0	3.0	6.0	6.5	6.0	6.0	6.0	6.5	6.5		55.50	5	55.50	12	94.90	
		5152B	10.0	2.9	3.5	4.0	3.0	3.0	3.5	3.5	3.5		30.45	11	85.95	12	147.25	
		407C	10.0	3.2	4.5	4.0	4.0	3.0	3.5	3.5	3.0		35.20	12	121.15	12	184.05	
		207C	10.0	3.3	5.0	6.0	6.0	7.0	6.0	6.5	6.5		61.05	7	182.20	12	174.00	
		307C	10.0	3.4	4.5	3.5	3.5	3.0	3.5	3.5	4.5		35.70	12	217.90	12	210.30	