

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

女子 高飛込 決勝 12-13

開催日 2017/08/22
大阪プール

制限選択飛回数 4回
自由選択飛回数 3回
難易率合計 7.6以内
気温 32.0℃
水温 28.3℃
天候 晴れ

審判長 山崎 雅夫
副審判長 時政 寛子
機械操作 高山 優子
記録主任 木綿 薫

審判団
1 毒島 めぐみ
2 中川 真依
3 中山 拓弥
4 澄川 真寿美
5 瓶子 勇治郎
6 柴田 哲治
7 横山 健

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
16	1	望月 来華									大分DC							
		101B	7.5	1.5	8.0	8.0	8.0	8.0	8.0	8.5	8.5 9.0		36.75	=1	36.75	=1		310.85
		301B	7.5	1.9	5.5	7.0	7.0	7.5	7.5	7.5	7.0 7.0		39.90	2	76.65	1		
		403B	7.5	2.1	6.5	6.5	7.0	7.5	6.5	6.5	7.0 6.0		42.00	3	118.65	1		
		5132D	7.5	2.1	6.0	6.0	6.0	5.5	6.0	5.5	5.0		36.75	4	155.40	1		
		105B	7.5	2.4	7.5	7.0	7.0	6.5	7.5	7.5	8.0		52.80	1	208.20	1		
		405C	7.5	2.7	9.0	8.0	8.0	7.0	7.5	8.0	7.5		63.45	1	271.65	1		
		205C	7.5	2.8	4.0	5.5	4.5	5.0	4.5	5.5	4.5		39.20	7	310.85	1		
17	2	佐々木 音華									米子DC							
		101B	7.5	1.5	4.5	5.0	4.0	4.5	5.0	5.0	5.0 4.5		21.00	16	21.00	16	15.75	269.45
		403B	5.0	2.4	8.0	8.0	6.5	6.5	7.5	7.0	6.5		50.40	1	71.40	2	5.25	
		201B	7.5	1.8	6.0	5.5	5.0	6.0	5.5	5.5	5.5		29.70	10	101.10	4	17.55	
		301B	7.5	1.9	7.0	6.5	6.5	6.5	6.5	7.0	6.0		37.05	3	138.15	3	17.25	
		405C	7.5	2.7	5.5	5.0	6.0	5.0	6.0	6.0	5.5		45.90	3	184.05	2	24.15	
		205C	7.5	2.8	4.5	4.5	3.5	3.5	4.0	3.5	3.5		30.80	12	214.85	2	56.80	
		105B	5.0	2.6	7.0	7.0	6.5	7.5	7.0	7.0	7.0		54.60	1	269.45	2	41.40	
15	3	黒川 菜々実									大阪水泳学校							
		101B	7.5	1.5	7.0	7.0	6.5	7.0	7.0	6.5	8.0		31.50	5	31.50	5	5.25	250.95
		201B	7.5	1.8	6.5	7.0	7.0	6.0	7.0	7.5	7.0		37.80	4	69.30	3	7.35	
		301B	7.5	1.9	7.5	8.0	7.5	7.5	7.0	7.0	7.5		42.75	=1	112.05	2	6.60	
		612B	7.5	1.8	5.5	5.5	5.5	5.0	5.5	6.0	6.5		29.70	9	141.75	2	13.65	
		403B	5.0	2.4	6.0	6.0	6.0	5.5	6.5	5.5	5.5		42.00	=5	183.75	3	24.45	
		203B	5.0	2.3	4.0	4.0	4.0	4.0	4.0	5.0	4.0		27.60	15	211.35	3	60.30	
		105B	7.5	2.4	5.0	6.5	6.0	5.0	5.5	6.0	4.5		39.60	=5	250.95	3	59.90	
14	4	平澤 杏里彩									長岡DC							
		103B	7.5	1.6	5.0	6.0	6.5	6.5	6.5	6.5	7.0		31.20	6	31.20	6	5.55	240.80
		301B	7.5	1.9	5.0	6.0	5.0	5.0	5.0	5.0	5.5		28.50	11	59.70	8	16.95	
		201B	5.0	1.6	3.5	3.0	4.0	3.5	3.5	5.0	4.5		17.60	15	77.30	14	41.35	
		403B	5.0	2.4	6.5	6.5	6.5	6.5	6.5	6.5	7.0		46.80	1	124.10	8	31.30	
		5132D	7.5	2.1	5.5	7.0	7.0	6.5	7.0	6.5	6.5		42.00	=5	166.10	6	42.10	
		105B	7.5	2.4	5.5	6.0	5.5	5.5	5.5	5.5	6.0		39.60	=3	205.70	4	65.95	
		405C	7.5	2.7	4.5	4.0	4.0	3.0	4.5	4.5	4.5		35.10	=10	240.80	4	70.05	
5	5	青山 由唯加									トビウオJrDC							
		103B	7.5	1.6	5.0	5.0	5.5	6.0	5.5	5.5	5.0		25.60	=12	25.60	=12	11.15	237.65
		201B	7.5	1.8	5.0	6.5	6.0	5.5	6.5	6.5	6.0		33.30	6	58.90	9	17.75	
		301B	7.5	1.9	6.0	6.5	6.5	6.0	6.5	6.0	6.5		36.10	6	95.00	7	23.65	
		403B	7.5	2.1	4.5	5.0	6.0	5.0	6.0	6.5	5.0		33.60	7	128.60	4	26.80	
		105B	7.5	2.4	5.5	6.0	6.5	5.0	6.0	6.0	5.0		42.00	=5	170.60	4	37.60	
		5132D	7.5	2.1	4.5	5.5	6.0	5.0	5.5	6.0	5.5		34.65	7	205.25	5	66.40	
		405C	7.5	2.7	4.0	4.0	4.5	4.0	3.5	4.5	4.0		32.40	13	237.65	5	73.20	

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

女子 高飛込 決勝 12-13

開催日 2017/08/22
大阪プール

制限選択飛回数 4回
自由選択飛回数 3回
難易率合計 7.6以内
気温 32.0℃
水温 28.3℃
天候 晴れ

審判長 山崎 雅夫
副審判長 時政 寛子
機械操作 高山 優子
記録主任 木綿 薫

審判団
1 毒島 めぐみ
2 中川 真依
3 中山 拓弥
4 澄川 真寿美
5 瓶子 勇治郎
6 柴田 哲治
7 横山 健

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
12	6	松崎 志緒乃									栃木DC							
		201B	7.5	1.8	4.5	5.0	5.5	5.0	5.0	5.0	5.5 4.5		27.00	11	27.00	11	9.75	236.15
		301B	7.5	1.9	5.0	6.0	5.0	6.0	5.0	5.5 4.5		29.45	10	56.45	11	20.20		
		103B	7.5	1.6	5.0	5.5	5.5	5.0	6.0	5.5 5.5		26.40	13	82.85	12	35.80		
		403B	7.5	2.1	7.0	6.0	6.0	5.5	6.0	6.5 6.5		38.85	2	121.70	10	33.70		
		405C	7.5	2.7	6.0	6.0	6.0	5.5	6.0	5.0 5.0		47.25	2	168.95	5	39.25		
		105B	7.5	2.4	4.5	4.5	4.5	4.5	4.0	5.0 3.5		32.40	=8	201.35	6	70.30		
		5233D	7.5	2.4	3.0	4.0	5.5	5.5	5.0	5.0 4.5		34.80	12	236.15	6	74.70		
7	7	関口 麻耶									川口SC							
		103B	7.5	1.6	5.0	5.0	5.5	5.5	6.0	6.0	6.0 5.0		25.60	=12	25.60	=12	11.15	231.85
		201B	7.5	1.8	6.0	7.5	7.0	7.0	8.0	8.0	7.0		38.70	3	64.30	6	12.35	
		301B	7.5	1.9	7.0	7.0	7.5	8.0	7.5	7.5 7.5		42.75	=1	107.05	3	11.60		
		403B	7.5	2.1	4.0	3.0	3.0	3.0	3.5	3.5 3.0		19.95	16	127.00	5	28.40		
		5111A	5.0	1.8	6.0	5.0	5.5	5.0	5.0	6.0 5.0		27.90	15	154.90	8	53.30		
		105B	7.5	2.4	4.5	4.5	4.0	4.5	3.5	5.0 4.5		32.40	=8	187.30	8	84.35		
		405C	7.5	2.7	5.0	6.0	5.5	5.0	5.5	6.0 5.5		44.55	4	231.85	7	79.00		
11	8	狩野 奈央									J S S宝塚							
		103B	5.0	1.7	6.5	5.5	6.5	6.0	6.5	6.0	6.5		32.30	4	32.30	4	4.45	231.75
		201B	7.5	1.8	4.0	5.5	5.5	4.5	4.5	5.5 5.5		27.90	12	60.20	7	16.45		
		301B	7.5	1.9	6.5	6.5	6.5	6.5	6.0	7.0 7.0		37.05	5	97.25	5	21.40		
		401B	5.0	1.5	6.0	6.5	6.0	6.0	6.5	6.5 6.5		28.50	10	125.75	7	29.65		
		612B	5.0	1.7	6.0	5.0	6.5	6.0	6.0	5.0 4.0		28.90	=13	154.65	9	53.55		
		105B	7.5	2.4	4.5	5.0	4.5	3.5	4.0	4.5 4.0		31.20	11	185.85	9	85.80		
		405C	7.5	2.7	6.5	5.0	5.5	4.5	5.5	6.5 6.0		45.90	=2	231.75	8	79.10		
6	9	勝 穂奈美									J S S宝塚							
		612B	7.5	1.8	4.0	4.0	3.0	4.5	3.0	5.0	4.5		22.50	14	22.50	14	14.25	225.35
		401B	7.5	1.4	5.5	5.5	5.5	6.0	5.5	7.0 6.5		23.80	17	46.30	17	30.35		
		103B	7.5	1.6	6.0	6.5	5.5	6.0	7.0	6.5 6.5		30.40	9	76.70	15	41.95		
		301B	7.5	1.9	4.5	4.5	4.0	5.0	4.5	4.0 4.0		24.70	14	101.40	16	54.00		
		403C	5.0	2.2	6.0	7.0	6.5	6.5	7.0	7.0 7.0		45.10	4	146.50	13	61.70		
		105B	7.5	2.4	5.0	6.0	5.5	6.0	6.0	6.0 6.0		43.20	2	189.70	7	81.95		
		203B	5.0	2.3	4.5	5.5	5.0	5.0	6.0	6.0 4.5		35.65	9	225.35	9	85.50		
4	10	小板橋 咲良									群馬DC							
		103B	7.5	1.6	6.0	7.0	7.5	6.5	7.5	7.0	8.0		34.40	3	34.40	3	2.35	218.00
		201B	5.0	1.6	7.0	7.0	7.0	6.0	7.0	7.0 6.5		33.60	5	68.00	4	8.65		
		301C	5.0	1.6	5.0	6.0	6.0	5.5	6.0	6.5 6.5		28.80	=11	96.80	6	21.85		
		401B	7.5	1.4	6.0	6.0	6.0	5.5	6.0	6.5 5.0		25.20	=12	122.00	9	33.40		
		403B	7.5	2.1	4.5	5.0	5.0	4.5	5.0	5.0 4.5		30.45	11	152.45	10	55.75		
		105B	7.5	2.4	3.5	4.5	4.0	4.0	4.0	4.0 4.0		28.80	13	181.25	12	90.40		
		5132D	7.5	2.1	6.0	5.5	7.0	6.0	5.0	6.0 5.0		36.75	8	218.00	10	92.85		

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

女子 高飛込 決勝 12-13

開催日 2017/08/22
大阪プール

制限選択飛回数 4回
自由選択飛回数 3回
難易率合計 7.6以内
気温 32.0℃
水温 28.3℃
天候 晴れ

審判長 山崎 雅夫
副審判長 時政 寛子
機械操作 高山 優子
記録主任 木綿 薫

審判団
1 毒島 めぐみ
2 中川 真依
3 中山 拓弥
4 澄川 真寿美
5 瓶子 勇治郎
6 柴田 哲治
7 横山 健

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
10	11	浜坂 萌音									イイナサリ							
		103B	7.5	1.6	5.0	5.0	5.5	6.0	6.0	6.0	6.0	6.0	28.00	9	28.00	9	8.75	214.75
		201B	7.5	1.8	4.5	4.5	5.5	5.0	4.5	6.0	6.0	27.00	=13	55.00	13	21.65		
		301B	7.5	1.9	7.0	6.0	7.0	7.0	7.0	7.5	7.0	39.90	4	94.90	8	23.75		
		5132D	7.5	2.1	5.0	5.0	4.5	5.0	5.5	5.0	5.5	31.50	8	126.40	6	29.00		
		105C	5.0	2.4	4.0	4.0	3.5	4.5	5.0	4.5	4.0	30.00	12	156.40	7	51.80		
		403B	7.5	2.1	4.0	4.5	5.0	4.5	4.5	4.5	5.0	28.35	14	184.75	10	86.90		
		5231D	7.5	2.0	4.5	5.0	5.0	5.5	5.5	4.5	5.0	30.00	14	214.75	11	96.10		
9	12	須田 真衣									宮城DC							
		301B	7.5	1.9	5.5	4.5	5.0	5.0	5.5	5.5	4.5	29.45	7	29.45	7	7.30	214.55	
		201B	7.5	1.8	4.5	5.0	5.0	4.5	5.0	4.5	4.5	25.20	16	54.65	14	22.00		
		612B	7.5	1.8	5.0	5.5	5.0	4.5	4.5	6.0	4.0	26.10	14	80.75	13	37.90		
		103B	7.5	1.6	7.0	7.5	7.5	8.0	7.0	7.0	7.5	35.20	6	115.95	11	39.45		
		403C	5.0	2.2	5.0	4.5	5.0	5.0	6.0	5.0	5.0	33.00	10	148.95	11	59.25		
		203C	5.0	2.0	5.0	4.0	4.5	4.0	4.5	4.0	4.5	26.00	16	174.95	14	96.70		
		105B	7.5	2.4	5.5	5.5	5.5	5.5	5.0	5.5	5.0	39.60	=5	214.55	12	96.30		
13	13	関野 思衣									栃木DC							
		403B	7.5	2.1	5.5	5.5	5.5	6.0	6.0	6.0	7.0	36.75	=1	36.75	=1		212.10	
		103B	7.5	1.6	6.5	6.5	7.0	6.0	6.0	6.5	6.5	31.20	8	67.95	5	8.70		
		201B	7.5	1.8	4.0	3.0	3.0	2.5	2.0	3.5	3.0	16.20	16	84.15	11	34.50		
		301B	7.5	1.9	4.5	4.5	4.5	5.0	3.5	4.5	4.5	25.65	11	109.80	15	45.60		
		205C	7.5	2.8	2.0	2.0	1.5	2.0	2.0	2.5	2.0	16.80	17	126.60	16	81.60		
		105B	7.5	2.4	5.5	5.5	5.5	6.0	5.0	5.0	5.5	39.60	=3	166.20	16	105.45		
		405C	7.5	2.7	5.5	6.0	5.5	5.5	5.5	6.0	6.0	45.90	=2	212.10	13	98.75		
8	14	向 望花									イイナサリ							
		103B	7.5	1.6	5.5	4.5	4.5	6.0	4.5	4.5	4.0	21.60	15	21.60	15	15.15	208.00	
		201C	5.0	1.5	5.5	5.5	6.5	6.0	5.0	6.0	5.0	25.50	15	47.10	16	29.55		
		301C	5.0	1.6	5.5	5.5	7.0	7.0	6.0	6.0	6.0	28.80	=11	75.90	16	42.75		
		403B	5.0	2.4	4.5	4.5	5.0	5.0	5.0	6.0	5.0	36.00	5	111.90	14	43.50		
		105B	7.5	2.4	5.0	5.0	5.5	5.5	5.0	4.5	4.5	36.00	9	147.90	12	60.30		
		203C	5.0	2.0	4.5	4.5	4.5	4.0	4.0	3.5	4.0	25.00	17	172.90	15	98.75		
		405C	7.5	2.7	4.0	4.5	4.5	4.0	4.5	5.5	3.5	35.10	=10	208.00	14	102.85		
3	15	三島 友莉恵									神辺SPC							
		101B	7.5	1.5	5.5	5.5	6.0	7.0	6.0	6.5	7.0	27.75	10	27.75	10	9.00	204.30	
		201B	7.5	1.8	5.5	6.0	6.0	5.0	5.5	5.5	6.0	30.60	9	58.35	10	18.30		
		301B	7.5	1.9	5.0	5.5	5.5	6.0	5.0	6.0	6.0	32.30	7	90.65	9	28.00		
		401B	7.5	1.4	5.5	5.5	5.5	6.0	6.0	6.5	6.0	24.50	15	115.15	12	40.25		
		103B	5.0	1.7	5.0	6.0	5.0	5.0	6.0	5.5	4.5	26.35	16	141.50	15	66.70		
		403C	5.0	2.2	5.5	5.5	6.0	5.5	6.0	6.0	6.0	38.50	6	180.00	13	91.65		
		612B	7.5	1.8	4.5	5.0	5.0	3.5	4.5	4.5	4.0	24.30	16	204.30	15	106.55		

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

女子 高飛込 決勝 12-13

開催日 2017/08/22
大阪プール

制限選択飛回数 4回
自由選択飛回数 3回
難易率合計 7.6以内
気温 32.0℃
水温 28.3℃
天候 晴れ

審判長 山崎 雅夫
副審判長 時政 寛子
機械操作 高山 優子
記録主任 木綿 薫

審判団
1 毒島 めぐみ
2 中川 真依
3 中山 拓弥
4 澄川 真寿美
5 瓶子 勇治郎
6 柴田 哲治
7 横山 健

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
2	16	谷本 珠菜									神辺 S P C							
		101B	7.5	1.5	6.0	6.5	6.5	6.5	6.5	6.5	7.0 7.5		29.25	8	29.25	8	7.50	201.30
		201B	7.5	1.8	5.0	5.0	4.0	6.0	4.0	5.0 5.0			27.00	=13	56.25	12	20.40	
		301B	7.5	1.9	5.0	5.5	5.5	5.5	5.5	5.5 6.0			31.35	8	87.60	10	31.05	
		401B	7.5	1.4	6.0	6.0	6.0	6.5	6.0	7.0 6.0			25.20	=12	112.80	13	42.60	
		103B	5.0	1.7	6.0	5.5	6.0	4.5	5.5	5.5 6.0			28.90	=13	141.70	14	66.50	
		403C	5.0	2.2	5.5	5.5	6.0	6.0	6.0	6.5 6.0			39.60	=3	181.30	11	90.35	
		203C	5.0	2.0	3.5	3.5	3.5	3.0	3.5	3.0 3.0			20.00	17	201.30	16	109.55	
1	17	中曾根 明佳									栃木 D C							
		103B	7.5	1.6	4.5	4.5	4.0	5.0	4.0	3.0 4.0			20.00	17	20.00	17	16.75	181.25
		403B	7.5	2.1	5.0	5.0	5.5	6.0	5.0	5.0 4.0			31.50	7	51.50	15	25.15	
		301B	7.5	1.9	2.0	1.5	1.5	2.5	2.0	2.5 2.0			11.40	17	62.90	17	55.75	
		201B	7.5	1.8	4.0	4.5	3.5	4.5	3.5	3.5 3.0			19.80	17	82.70	17	72.70	
		205C	7.5	2.8	4.0	4.5	5.0	4.5	4.0	5.0 4.5			37.80	8	120.50	17	87.70	
		105B	7.5	2.4	4.5	4.5	5.5	5.0	4.5	4.0 4.5			32.40	=8	152.90	17	118.75	
		405C	7.5	2.7	3.0	5.0	3.0	4.0	3.5	4.0 3.0			28.35	15	181.25	17	129.60	