

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会（飛込競技）

採点詳細

男子 3m 飛板飛込 決勝

14-15

開催日 2017/08/22

大阪プール

審判長 高橋 亜紀

審判団(A) 5Round

審判団(B) 4Round

制限選択飛回数 5回
自由選択飛回数 4回
難易率合計 9.5以内
気温 32.0℃
水温 28.3℃
天候 晴れ

機械操作 高山 優子

記録主任 木綿 薫

1 糸川 明史
2 秋山 真有美
3 安田 千万樹
4 山本 敬樹
5 豊田 健吾
6 浅田 雅子
7 中川 真依

1 三浦 房子
2 清水 国重
3 荒木 駆凶
4 春日 喜美子
5 湯浅 よしの
6 澄川 真寿美
7 伊熊 千香子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
15	1	山本 馨									大分DC										
		201B	3.0	1.8	7.5	7.5	7.5	7.5	7.5	7.5	ヤマト ケイ	8.0	7.5		40.50	2	40.50	2	0.90	445.60	
		301B	3.0	1.9	5.0	4.0	4.0	4.0	4.5	5.0	大分DC	4.0	4.0		23.75	13	64.25	6	9.15		
		103B	3.0	1.6	6.5	6.5	6.5	6.0	6.5	7.5	大分DC	6.5	6.5		31.20	9	95.45	6	23.55		
		403B	3.0	2.1	8.0	7.0	7.0	7.0	7.5	7.5	大分DC	7.5	7.5		46.20	2	141.65	5	21.45		
		5132D	3.0	2.1	7.5	7.5	7.0	6.0	7.0	6.0	大分DC	7.0	7.0		44.10	2	185.75	4	24.60		
		205B	3.0	3.0	6.5	7.5	7.5	7.5	7.5	7.0	大分DC	7.5	7.5		67.50	1	253.25	2	3.60		
		5152B	3.0	3.0	7.5	8.0	7.5	7.5	7.5	7.0	大分DC	6.5	6.5		67.50	1	320.75	1			
		305B	3.0	3.0	7.5	7.5	7.5	8.0	8.0	7.0	大分DC	7.5	7.5		67.50	1	388.25	1			
		107B	3.0	3.1	6.0	7.0	6.5	5.0	6.0	6.5	大分DC	5.5	5.5		57.35	1	445.60	1			
12	2	大竹 玲央									群馬DC										
		201B	3.0	1.8	7.5	7.5	8.0	7.5	8.0	7.5	群馬DC	8.0	8.0		41.40	1	41.40	1		422.45	
		103B	3.0	1.6	6.5	6.5	6.5	7.0	7.0	7.0	群馬DC	6.5	6.5		32.00	5	73.40	1			
		301B	3.0	1.9	8.5	7.5	8.5	8.0	8.0	7.5	群馬DC	8.0	8.0		45.60	1	119.00	1			
		403B	3.0	2.1	7.0	7.0	7.0	7.0	7.0	7.0	群馬DC	7.5	7.5		44.10	3	163.10	1			
		5132D	3.0	2.1	8.0	7.0	7.5	8.0	7.5	7.0	群馬DC	7.5	7.5		47.25	1	210.35	1			
		205B	3.0	3.0	5.5	5.5	5.0	5.0	5.0	5.0	群馬DC	5.5	5.5		46.50	5	256.85	1			
		5152B	3.0	3.0	7.0	7.0	7.5	7.0	6.5	6.5	群馬DC	6.0	6.0		61.50	2	318.35	2	2.40		
		305C	3.0	2.8	7.0	6.5	6.0	6.5	6.0	6.5	群馬DC	6.5	6.5		54.60	2	372.95	2	15.30		
		405B	3.0	3.0	5.0	6.0	5.5	6.0	5.5	5.5	群馬DC	5.5	5.5		49.50	4	422.45	2	23.15		
13	3	田邊 誠太郎									三重DC										
		103B	3.0	1.6	6.0	6.5	6.0	6.0	6.5	6.0	三重DC	6.0	6.0		28.80	8	28.80	8	12.60	379.40	
		201B	3.0	1.8	7.0	7.5	7.5	7.5	7.5	7.5	三重DC	7.0	7.0		40.50	1	69.30	3	4.10		
		301B	3.0	1.9	7.0	7.0	7.0	7.0	7.0	7.5	三重DC	7.5	7.5		39.90	2	109.20	3	9.80		
		403B	3.0	2.1	7.0	8.0	8.0	8.0	8.0	8.0	三重DC	8.0	8.0		50.40	1	159.60	2	3.50		
		5132D	3.0	2.1	7.0	6.0	6.0	6.5	6.0	6.0	三重DC	6.0	6.0		37.80	4	197.40	2	12.95		
		405B	3.0	3.0	5.5	6.0	5.5	6.0	5.5	6.0	三重DC	5.5	5.5		51.00	3	248.40	3	8.45		
		107C	3.0	2.8	6.0	6.0	6.0	6.0	6.0	5.5	三重DC	6.0	6.0		50.40	5	298.80	3	21.95		
		205C	3.0	2.8	2.0	3.5	3.5	4.0	3.0	3.0	三重DC	2.5	2.5		26.60	13	325.40	3	62.85		
		5152B	3.0	3.0	6.0	6.0	5.5	5.5	6.0	6.0	三重DC	6.0	6.0		54.00	3	379.40	3	66.20		
10	4	柴 秀斗									ジョイフル										
		103B	3.0	1.6	7.0	6.5	7.0	7.0	7.5	7.0	ジョイフル	6.5	6.5		33.60	=5	33.60	=5	7.80	378.35	
		201B	3.0	1.8	6.5	6.0	6.0	6.0	7.0	6.5	ジョイフル	5.5	5.5		33.30	3	66.90	4	6.50		
		301B	3.0	1.9	6.5	5.0	6.0	6.0	6.5	6.0	ジョイフル	6.0	6.0		34.20	=4	101.10	4	17.90		
		403B	3.0	2.1	7.0	6.5	7.5	7.0	7.5	6.5	ジョイフル	6.0	6.0		43.05	4	144.15	4	18.95		
		5132D	3.0	2.1	5.5	5.0	6.0	6.0	5.0	5.5	ジョイフル	5.5	5.5		34.65	6	178.80	5	31.55		
		107C	3.0	2.8	5.5	6.5	5.5	6.0	6.5	5.5	ジョイフル	7.5	7.5		50.40	4	229.20	5	27.65		
		205C	3.0	2.8	7.0	6.0	6.0	6.0	6.5	5.0	ジョイフル	6.5	6.5		51.80	=3	281.00	5	39.75		
		305C	3.0	2.8	5.5	4.5	5.0	5.5	5.0	4.5	ジョイフル	5.0	5.0		42.00	6	323.00	4	65.25		
		405C	3.0	2.7	6.5	7.0	6.5	6.0	7.0	7.0	ジョイフル	7.0	7.0		55.35	2	378.35	4	67.25		
14	5	坂田 慈央									ジョイフル										
		103B	3.0	1.6	8.0	8.0	8.0	8.0	8.0	8.0	ジョイフル	7.5	7.5		38.40	3	38.40	3	3.00	332.60	
		201B	3.0	1.8	6.5	6.5	5.5	6.0	6.0	7.0	ジョイフル	6.5	6.5		34.20	2	72.60	2	0.80		
		301B	3.0	1.9	7.0	6.5	6.0	7.0	6.0	7.0	ジョイフル	6.5	6.5		38.00	3	110.60	2	8.40		
		403B	3.0	2.1	6.0	6.5	5.5	6.0	5.5	6.0	ジョイフル	6.0	6.0		37.80	=6	148.40	3	14.70		
		5132D	3.0	2.1	6.5	6.0	6.0	6.5	6.0	6.5	ジョイフル	5.5	5.5		38.85	3	187.25	3	23.10		
		107C	3.0	2.8	6.5	6.5	7.0	6.0	6.5	6.0	ジョイフル	6.5	6.5		54.60	2	241.85	4	15.00		
		405C	3.0	2.7	5.5	4.5	5.5	4.5	5.5	5.5	ジョイフル	5.5	5.5		44.55	6	286.40	4	34.35		
		305C	3.0	2.8	4.0	3.0	3.5	3.5	3.0	4.0	ジョイフル	3.5	3.5		29.40	12	315.80	5	72.45		
		205C	3.0	2.8	2.5	2.0	2.0	2.5	2.0	2.0	ジョイフル	2.0	2.0		16.80	14	332.60	5	113.00		

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

男子 3m 飛板飛込 決勝

14-15

開催日 2017/08/22
大阪プール

審判長 高橋 亜紀

審判団(A) 5Round

審判団(B) 4Round

制限選択飛回数 5回
自由選択飛回数 4回
難易率合計 9.5以内
気温 32.0℃
水温 28.3℃
天候 晴れ

機械操作 高山 優子

記録主任 木綿 薫

1 糸川 明史
2 秋山 真有美
3 安田 千万樹
4 山本 敬樹
5 豊田 健吾
6 浅田 雅子
7 中川 真依

1 三浦 房子
2 清水 国重
3 荒木 駆函
4 春日 喜美子
5 湯浅 よしの
6 澄川 真寿美
7 伊熊 千香子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
8	6	片岡 龍之介									カガリ リュウスケ コンセント										
			403B	3.0	2.1	5.5	5.5	5.5	6.0	6.0	5.5	5.0			34.65	4	34.65	4	6.75	328.30	
			103B	3.0	1.6	5.5	5.5	5.5	6.0	6.0	6.5	5.5			27.20	9	61.85	7	11.55		
			5132D	3.0	2.1	4.5	5.0	4.5	5.0	4.5	5.0	4.5			29.40	11	91.25	7	27.75		
			201B	3.0	1.8	5.5	5.5	5.0	5.5	6.0	5.0	6.0			29.70	11	120.95	9	42.15		
			301B	3.0	1.9	6.0	6.5	7.0	6.5	6.0	6.0	6.5			36.10	5	157.05	7	53.30		
			305C	3.0	2.8	5.0	5.5	5.5	5.0	5.0	5.0	5.5			43.40	6	200.45	7	56.40		
			205C	3.0	2.8	6.5	6.5	6.5	5.5	6.5	5.0	5.5			51.80	=3	252.25	6	68.50		
			405C	3.0	2.7	6.0	5.5	5.5	5.5	6.0	5.0	5.0			44.55	4	296.80	6	91.45		
			5152B	3.0	3.0	3.5	4.0	5.0	3.5	3.5	3.5	3.5			31.50	10	328.30	6	117.30		
11	7	竹谷 隆									タケ リュウ										
			103B	3.0	1.6	7.0	7.0	7.0	7.5	7.0	7.0	6.5			33.60	=5	33.60	=5	7.80	315.50	
			201B	3.0	1.8	6.0	6.0	6.0	6.0	6.0	6.0	6.0			32.40	4	66.00	5	7.40		
			301B	3.0	1.9	6.0	5.0	6.0	6.5	6.0	6.0	5.5			34.20	=4	100.20	5	18.80		
			403B	3.0	2.1	6.0	6.0	6.0	6.5	6.0	6.5	6.5			38.85	5	139.05	6	24.05		
			5132D	3.0	2.1	4.0	5.0	5.5	3.5	4.5	5.5	4.5			29.40	11	168.45	6	41.90		
			205C	3.0	2.8	4.5	3.5	4.0	4.5	3.0	3.0	4.5			33.60	12	202.05	6	54.80		
			305C	3.0	2.8	2.5	2.5	2.5	3.5	2.5	3.0	3.0			22.40	13	224.45	9	96.30		
			405C	3.0	2.7	5.5	5.5	5.5	5.0	5.5	5.0	5.0			43.20	5	267.65	7	120.60		
			5335D	3.0	2.9	6.0	5.5	5.5	5.5	5.0	5.5	6.5			47.85	5	315.50	7	130.10		
3	8	川口 航輝									カガチ コウキ										
			103B	3.0	1.6	6.0	5.5	6.5	6.5	6.0	6.0	6.5			29.60	7	29.60	7	11.80	305.10	
			201B	3.0	1.8	5.5	5.5	6.0	6.0	6.0	6.5	5.5			31.50	6	61.10	8	12.30		
			301B	3.0	1.9	5.0	5.0	5.0	5.0	5.0	4.5	4.5			28.50	12	89.60	8	29.40		
			403B	3.0	2.1	5.5	5.0	5.0	5.5	5.0	5.5	5.0			32.55	10	122.15	8	40.95		
			5132D	3.0	2.1	5.5	5.0	5.5	5.0	5.0	5.5	4.5			32.55	7	154.70	9	55.65		
			205C	3.0	2.8	5.5	5.5	5.0	4.0	4.5	5.0	4.5			40.60	8	195.30	9	61.55		
			105B	3.0	2.4	5.0	4.5	4.0	5.0	5.5	4.5	5.0			34.80	9	230.10	7	90.65		
			405C	3.0	2.7	4.0	4.5	4.0	4.5	3.5	4.5	4.0			33.75	9	263.85	8	124.40		
			5134D	3.0	2.5	6.0	5.5	5.5	5.5	5.5	5.0	5.0			41.25	7	305.10	8	140.50		
9	9	三浦 論太郎									ミウラ リンタロウ										
			103B	3.0	1.6	5.5	5.5	6.0	5.5	5.0	5.0	4.0			25.60	12	25.60	12	15.80	290.95	
			201B	3.0	1.8	4.0	5.0	5.0	5.0	4.0	5.0	4.5			26.10	12	51.70	12	21.70		
			301B	3.0	1.9	4.0	4.0	3.5	4.0	3.0	4.0	4.0			22.80	14	74.50	13	44.50		
			401B	3.0	1.4	5.5	5.0	5.5	5.0	5.5	5.5	5.5			23.10	14	97.60	14	65.50		
			5132D	3.0	2.1	5.0	5.0	5.5	4.5	5.0	4.5	5.0			31.50	9	129.10	13	81.25		
			105B	3.0	2.4	5.5	5.5	5.5	5.0	5.0	5.0	5.0			37.20	11	166.30	13	90.55		
			403B	3.0	2.1	5.5	5.5	6.0	5.0	6.0	5.5	5.0			34.65	10	200.95	13	119.80		
			205C	3.0	2.8	5.5	6.0	6.0	6.0	6.5	5.5	6.0			50.40	3	251.35	10	136.90		
			5233D	3.0	2.4	5.5	6.0	6.0	5.0	5.5	5.5	5.5			39.60	8	290.95	9	154.65		
5	10	久保谷 諒介									クボヤ リョウスケ										
			103B	3.0	1.6	5.5	5.0	5.5	5.5	6.0	6.5	6.0			27.20	=9	27.20	=9	14.20	283.65	
			5132D	3.0	2.1	4.0	4.5	4.0	4.5	5.0	5.0	4.0			27.30	8	54.50	10	18.90		
			201B	3.0	1.8	5.5	6.0	6.0	6.0	6.0	6.5	6.0			32.40	=6	86.90	10	32.10		
			301B	3.0	1.9	5.0	5.5	4.5	5.0	4.5	5.0	5.5			28.50	12	115.40	11	47.70		
			403B	3.0	2.1	3.0	3.5	3.0	4.0	3.0	3.5	4.0			21.00	14	136.40	11	73.95		
			105B	3.0	2.4	2.5	3.0	3.0	4.0	3.0	2.5	4.0			21.60	14	158.00	14	98.85		
			205C	3.0	2.8	4.5	5.0	5.0	5.5	5.5	5.0	5.5			43.40	7	201.40	12	119.35		
			305C	3.0	2.8	3.5	3.5	4.0	4.5	4.5	5.0	4.0			35.00	8	236.40	13	151.85		
			405C	3.0	2.7	6.5	6.0	6.0	5.5	5.5	6.0	5.5			47.25	6	283.65	10	161.95		

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

男子 3m 飛板飛込 決勝

14-15

開催日 2017/08/22
大阪プール

審判長 高橋 亜紀

審判団(A) 5Round

審判団(B) 4Round

制限選択飛回数 5回
自由選択飛回数 4回
難易率合計 9.5以内
気温 32.0℃
水温 28.3℃
天候 晴れ

機械操作 高山 優子

記録主任 木綿 薫

1 糸川 明史
2 秋山 真有美
3 安田 千万樹
4 山本 敬樹
5 豊田 健吾
6 浅田 雅子
7 中川 真依

1 三浦 房子
2 清水 国重
3 荒木 駆凶
4 春日 喜美子
5 湯浅 よしの
6 澄川 真寿美
7 伊熊 千香子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
4	11	我妻 知探									ワカツマ チタン 川口SC							
		103B	3.0	1.6	5.5	6.0	5.5	5.5	5.5	5.5	6.5	6.0	27.20	=9	27.20	=9	14.20	282.95
		201B	3.0	1.8	5.5	5.0	4.5	6.0	6.0	6.0	6.0	5.0	29.70	7	56.90	9	16.50	
		301B	3.0	1.9	5.5	5.5	5.0	5.5	6.0	5.5	5.5	5.5	31.35	8	88.25	9	30.75	
		403B	3.0	2.1	5.5	6.0	6.5	6.0	6.0	6.0	6.0	6.0	37.80	=6	126.05	7	37.05	
		5111A	3.0	2.0	4.0	6.0	5.0	4.5	5.0	5.5	5.0	5.0	30.00	10	156.05	8	54.30	
		105B	3.0	2.4	6.0	6.0	5.0	6.0	5.5	5.5	5.0	5.5	40.80	7	196.85	8	60.00	
		405C	3.0	2.7	4.0	4.5	4.0	4.0	4.5	4.5	4.0	4.0	32.40	=11	229.25	8	91.50	
		203B	3.0	2.2	4.5	4.5	4.5	4.5	4.5	4.5	4.0	4.0	29.70	11	258.95	9	129.30	
		303C	3.0	2.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	24.00	13	282.95	11	162.65	
2	12	貝塚 祐月									カイツカ ユツキ 和歌山DC							
		401B	3.0	1.4	5.5	6.0	6.0	6.0	6.5	6.0	6.0	6.0	25.20	13	25.20	13	16.20	279.20
		103B	3.0	1.6	5.5	5.0	6.0	5.5	5.5	5.5	6.0	5.5	26.40	11	51.60	13	21.80	
		201B	3.0	1.8	6.0	6.0	6.5	5.5	6.0	6.0	6.0	4.0	32.40	=6	84.00	11	35.00	
		301B	3.0	1.9	6.0	5.5	6.0	5.5	6.0	6.0	5.5	5.5	33.25	9	117.25	10	45.85	
		5231D	3.0	2.0	5.5	5.0	6.0	5.5	5.0	5.5	5.0	5.0	32.00	8	149.25	10	61.10	
		403B	3.0	2.1	5.0	5.5	5.0	6.0	5.0	6.0	5.0	5.0	32.55	13	181.80	10	75.05	
		105B	3.0	2.4	5.0	4.0	4.5	4.5	4.5	4.5	4.0	4.5	32.40	=11	214.20	10	106.55	
		303C	3.0	2.0	5.5	5.0	4.0	5.0	5.0	5.0	5.0	4.5	30.00	10	244.20	12	144.05	
		205C	3.0	2.8	4.5	4.5	4.5	3.5	4.0	4.0	4.0	4.0	35.00	9	279.20	12	166.40	
6	13	伴 俊広									ハン トシロ 岡山DC							
		101C	3.0	1.4	5.0	5.0	4.5	4.5	5.0	5.0	5.5	4.5	20.30	14	20.30	14	21.10	274.05
		201A	3.0	1.9	4.0	4.0	3.5	4.0	4.0	4.0	4.0	4.0	22.80	14	43.10	14	30.30	
		301A	3.0	2.0	5.0	5.5	5.5	4.5	5.0	6.0	5.0	5.0	31.00	10	74.10	14	44.90	
		403B	3.0	2.1	5.5	5.0	5.5	6.0	5.0	5.5	4.5	4.5	33.60	8	107.70	12	55.40	
		5111A	3.0	2.0	4.5	3.5	3.5	4.0	4.0	3.5	4.5	4.5	23.00	13	130.70	12	79.65	
		105B	3.0	2.4	5.0	5.5	5.5	5.5	6.5	5.0	5.5	5.5	39.60	=9	170.30	11	86.55	
		203A	3.0	2.4	6.0	6.0	4.0	5.0	5.5	4.0	5.5	5.5	38.40	8	208.70	11	112.05	
		303B	3.0	2.3	5.0	5.5	5.0	5.0	5.5	5.0	5.5	5.5	35.65	7	244.35	11	143.90	
		405C	3.0	2.7	3.5	3.5	4.5	4.0	4.0	3.5	3.5	3.5	29.70	11	274.05	13	171.55	
1	14	難波 優太									ナンバ ユタ 福山T. C							
		103B	3.0	1.6	5.0	5.5	5.5	6.0	5.5	5.5	5.5	5.5	26.40	11	26.40	11	15.00	240.55
		201B	3.0	1.8	5.5	5.0	4.5	5.0	4.0	5.0	5.0	5.0	27.00	10	53.40	11	20.00	
		301B	3.0	1.9	4.5	5.0	5.0	4.5	5.0	4.5	4.5	4.5	26.60	13	80.00	12	39.00	
		401B	3.0	1.4	5.5	6.0	6.0	6.0	5.5	6.5	5.5	5.5	24.50	13	104.50	13	58.60	
		5132D	3.0	2.1	3.5	4.0	4.0	4.0	3.5	4.5	3.5	3.5	24.15	12	128.65	14	81.70	
		105B	3.0	2.4	5.5	6.0	5.5	5.5	6.0	5.0	5.0	5.0	39.60	=9	168.25	12	88.60	
		203B	3.0	2.2	2.5	2.0	3.5	3.0	3.5	3.5	3.5	3.5	22.00	14	190.25	14	130.50	
		303B	3.0	2.3	3.0	3.0	3.5	4.0	3.0	3.5	4.0	4.0	23.00	14	213.25	14	175.00	
		403B	3.0	2.1	5.0	4.5	4.0	4.0	4.5	5.0	4.0	4.0	27.30	12	240.55	14	205.05	
7	棄権	林 凜太郎									ハヤシ リンタロウ イネナナリ							