

第40回 全国JOCジュニアオリンピック  
夏季水泳競技大会 (飛込競技)

採点詳細

女子 1m 飛板飛込 決勝

12-13

開催日 2017/08/24  
大阪プール

審判長 谷内 寛

審判団(A) 4Round

審判団(B) 3Round

制限選択飛回数 4回  
自由選択飛回数 3回  
難易率合計 7.2以内  
気温 32.0℃  
水温 28.3℃  
天候 晴れ

機械操作 高山 優子

記録主任 木綿 薫

1 内藤 直樹  
2 豊田 健吾  
3 中川 真依  
4 笠井 学  
5 瓶子 笑里佳  
6 中山 拓弥  
7 時政 寛子

1 笠松 眞利子  
2 横山 健  
3 鈴木 羊子  
4 毒島 泰士  
5 湯浅 よしの  
6 近藤 愛彩  
7 三浦 房子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
23	1	佐々木 音華									サキオハ 米子DC								
		103B	1.0	1.7	7.5	7.0	8.0	8.0	7.0	7.5	8.0		39.10	1	39.10	1			278.55
		201B	1.0	1.6	6.0	5.5	5.0	5.0	5.5	4.5	5.5		25.60	19	64.70	9	10.95		
		301B	1.0	1.7	7.0	7.5	8.0	8.5	8.0	7.5	8.0		39.95	2	104.65	=3	17.20		
		403C	1.0	2.2	5.5	6.5	6.5	6.5	7.0	6.5	6.5		42.90	1	147.55	2	12.70		
		104B	1.0	2.3	5.5	6.5	6.0	7.0	6.5	5.5	6.5		43.70	4	191.25	2	5.80		
		203C	1.0	2.0	6.0	6.5	6.5	7.0	7.0	6.5	6.5		39.00	=3	230.25	2	6.40		
		303C	1.0	2.1	8.0	8.5	7.5	7.5	7.5	7.0	8.5		48.30	=1	278.55	1			
22	2	望月 来華									モチヅキライカ 大分DC								
		103B	1.0	1.7	8.0	7.0	7.5	7.5	6.5	7.5	7.5		38.25	2	38.25	2	0.85		275.05
		201B	1.0	1.6	6.5	6.5	5.5	6.0	6.5	7.0	6.5		31.20	10	69.45	2	6.20		
		301B	1.0	1.7	8.0	7.0	7.0	7.5	7.0	6.5	7.5		36.55	5	106.00	2	15.85		
		403C	1.0	2.2	6.0	6.0	6.0	6.0	6.5	6.0	6.0		39.60	2	145.60	3	14.65		
		105C	1.0	2.4	6.0	6.0	5.5	5.5	6.0	6.0	6.5		43.20	5	188.80	3	8.25		
		203B	1.0	2.3	5.5	6.0	5.5	5.5	6.0	5.5	5.0		37.95	=6	226.75	3	9.90		
		303C	1.0	2.1	7.5	8.5	7.5	7.5	8.5	7.5	8.0		48.30	=1	275.05	2	3.50		
19	3	関野 思衣									セキノシ 栃木DC								
		103B	1.0	1.7	7.0	7.5	7.0	8.0	7.0	7.5	7.5		37.40	3	37.40	3	1.70		273.85
		301B	1.0	1.7	7.5	7.5	7.5	8.0	8.0	7.5	7.5		38.25	1	75.65	1			
		403C	1.0	2.2	6.0	7.0	7.0	7.0	7.5	7.5	7.0		46.20	1	121.85	1			
		201B	1.0	1.6	8.5	7.5	8.0	8.0	8.5	8.0	7.5		38.40	3	160.25	1			
		203B	1.0	2.3	5.5	5.5	5.0	6.0	5.0	4.0	5.5		36.80	=9	197.05	1			
		5132D	1.0	2.2	6.0	5.5	6.0	5.5	6.5	6.0	6.0		39.60	1	236.65	1			
		105C	1.0	2.4	4.0	5.0	5.5	5.5	5.0	5.5	5.0		37.20	7	273.85	3	4.70		
14	4	松田 心杏									マツダコ イネナナリ								
		103B	1.0	1.7	5.5	6.5	6.0	7.5	7.0	7.0	6.5		34.00	=5	34.00	=5	5.10		263.10
		201B	1.0	1.6	6.5	7.0	7.0	7.0	7.5	7.0	6.5		33.60	6	67.60	5	8.05		
		301B	1.0	1.7	7.0	6.0	5.5	6.0	7.0	6.5	7.0		33.15	=9	100.75	5	21.10		
		403C	1.0	2.2	4.5	5.5	5.0	6.0	6.0	5.5	5.0		35.20	6	135.95	4	24.30		
		104B	1.0	2.3	6.0	7.0	6.5	7.0	7.0	6.0	6.0		44.85	2	180.80	4	16.25		
		203B	1.0	2.3	7.0	5.5	6.0	5.5	5.5	6.0	5.0		39.10	2	219.90	4	16.75		
		303B	1.0	2.4	6.0	7.5	6.5	5.0	5.5	6.0	6.0		43.20	3	263.10	4	15.45		
9	5	山吉 慧									ヤマシサト 三重DC								
		103B	1.0	1.7	6.0	5.5	6.5	6.0	6.5	6.5	6.0		31.45	=10	31.45	=10	7.65		237.50
		201A	1.0	1.7	7.0	7.0	6.5	6.5	6.5	7.0	6.0		34.00	5	65.45	8	10.20		
		301B	1.0	1.7	5.0	5.5	5.5	5.5	6.0	6.0	5.5		28.05	=15	93.50	11	28.35		
		5211A	1.0	1.8	5.0	6.0	6.0	5.0	4.5	6.5	5.0		28.80	14	122.30	12	37.95		
		104C	1.0	2.2	6.0	6.5	7.0	6.0	6.0	6.0	6.5		40.70	6	163.00	11	34.05		
		203C	1.0	2.0	6.0	6.5	6.0	6.0	5.5	6.0	5.5		36.00	=8	199.00	8	37.65		
		403C	1.0	2.2	6.0	5.5	6.0	6.5	5.5	6.0	5.0		38.50	5	237.50	5	41.05		

第40回 全国JOCジュニアオリンピック  
夏季水泳競技大会 (飛込競技)

採点詳細

女子 1m 飛板飛込 決勝

12-13

開催日 2017/08/24  
大阪プール

審判長 谷内 寛

審判団(A) 4Round

審判団(B) 3Round

制限選択飛回数 4回  
自由選択飛回数 3回  
難易率合計 7.2以内  
気温 32.0℃  
水温 28.3℃  
天候 晴れ

機械操作 高山 優子  
記録主任 木綿 薫

1 内藤 直樹  
2 豊田 健吾  
3 中川 真依  
4 笠井 学  
5 瓶子 笑里佳  
6 中山 拓弥  
7 時政 寛子

1 笠松 真利子  
2 横山 健  
3 鈴木 羊子  
4 毒島 泰士  
5 湯浅 よしの  
6 近藤 愛彩  
7 三浦 房子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
21	6	狩野 奈央									J S S 宝塚				29.75	=14	29.75	=14	9.35	237.25
		201A	1.0	1.7	6.0	6.0	6.0	5.5	6.0	5.5	5.5	6.0								
		301A	1.0	1.8	6.5	7.0	6.5	6.5	6.5	6.5	7.0	7.0			36.00	2	65.75	7	9.90	
		401B	1.0	1.5	8.0	8.0	7.5	7.5	6.5	6.5	8.0	7.0			34.50	7	100.25	6	21.60	
		103B	1.0	1.7	6.5	6.5	5.5	7.0	5.5	6.5	6.0				32.30	=8	132.55	5	27.70	
		104B	1.0	2.3	4.5	4.5	5.5	5.5	5.0	4.0	4.5				32.20	14	164.75	8	32.30	
		403C	1.0	2.2	6.0	5.5	6.0	4.5	6.0	5.5	6.5				38.50	5	203.25	6	33.40	
		203C	1.0	2.0	5.5	6.0	5.5	5.5	6.0	6.0	5.5				34.00	=8	237.25	6	41.30	
18	7	須田 真衣									宮城DC				30.75	12	30.75	12	8.35	236.55
		401B	1.0	1.5	7.0	7.0	6.5	6.5	7.0	7.0	6.5				31.45	9	62.20	10	13.45	
		301B	1.0	1.7	5.5	6.5	6.5	6.0	7.0	5.5	6.0				21.60	=20	83.80	16	38.05	
		201B	1.0	1.6	4.0	4.5	4.5	4.5	5.0	4.5	4.5				35.70	5	119.50	13	40.75	
		103B	1.0	1.7	7.0	7.0	7.0	7.5	7.0	7.0	6.5				45.10	1	164.60	9	32.45	
		403C	1.0	2.2	6.5	8.0	7.0	6.5	6.5	7.0	7.0				37.95	=6	202.55	7	34.10	
		104B	1.0	2.3	4.5	6.0	5.5	6.0	6.0	5.0	5.0				34.00	=8	236.55	7	42.00	
		203C	1.0	2.0	5.5	6.0	4.5	6.0	5.5	5.5	6.0									
7	8	谷本 珠菜									神辺SPC				30.60	13	30.60	13	8.50	232.00
		103B	1.0	1.7	6.0	6.0	5.5	6.5	6.0	6.0	6.5				28.80	=13	59.40	12	16.25	
		201B	1.0	1.6	6.5	6.0	6.0	5.5	6.5	6.0	6.0				28.90	=12	88.30	14	33.55	
		301B	1.0	1.7	6.0	5.5	5.5	5.5	6.5	5.5	6.5				30.80	11	119.10	14	41.15	
		403C	1.0	2.2	4.0	4.5	4.0	5.0	5.0	4.5	5.0				39.10	8	158.20	12	38.85	
		104B	1.0	2.3	5.0	6.0	6.0	6.0	5.5	5.5	5.5				36.00	=8	194.20	11	42.45	
		203C	1.0	2.0	6.0	6.0	6.0	6.0	5.5	6.0	6.0				37.80	6	232.00	8	46.55	
		303C	1.0	2.1	6.0	6.0	6.0	6.0	5.5	5.5	6.5									
20	9	大内 晴名									佐賀DC				28.05	=18	28.05	=18	11.05	231.95
		103B	1.0	1.7	6.0	5.5	5.5	5.5	6.0	5.5	5.5				28.80	=13	56.85	16	18.80	
		201B	1.0	1.6	6.0	6.5	5.5	6.0	5.5	6.0	6.0				38.25	=3	95.10	9	26.75	
		301B	1.0	1.7	6.0	7.5	8.0	7.0	7.5	7.5	7.5				29.70	13	124.80	10	35.45	
		403C	1.0	2.2	5.0	4.0	4.5	3.5	4.5	4.5	4.5				44.00	3	168.80	5	28.25	
		104C	1.0	2.2	6.5	7.0	6.0	7.0	7.0	6.0	6.5				39.00	=3	207.80	5	28.85	
		203C	1.0	2.0	7.0	7.0	6.0	6.5	6.5	6.0	6.5				24.15	20	231.95	9	46.60	
		303C	1.0	2.1	4.5	4.0	3.5	3.5	4.0	3.5	4.0									
3	10	関口 麻耶									川口SC				31.45	=10	31.45	=10	7.65	226.70
		103B	1.0	1.7	6.0	5.5	5.0	6.5	6.5	6.0	6.5				27.20	15	58.65	14	17.00	
		201B	1.0	1.6	5.5	5.5	4.5	6.0	6.0	5.5	6.0				38.25	=3	96.90	7	24.95	
		301B	1.0	1.7	7.5	8.0	8.0	7.0	7.0	7.5	7.5				30.00	12	126.90	8	33.35	
		401B	1.0	1.5	7.5	6.5	5.5	7.0	6.5	6.0	7.0				36.80	=9	163.70	10	33.35	
		104B	1.0	2.3	5.0	4.5	5.5	5.0	5.5	5.5	5.5				33.00	10	196.70	=9	39.95	
		403C	1.0	2.2	5.0	5.0	4.5	5.0	5.0	5.5	5.5				30.00	=13	226.70	10	51.85	
		203C	1.0	2.0	5.0	4.5	5.0	4.5	5.0	5.0	5.5									

第40回 全国JOCジュニアオリンピック  
夏季水泳競技大会 (飛込競技)

採点詳細

女子 1m 飛板飛込 決勝

12-13

開催日 2017/08/24  
大阪プール

審判長 谷内 寛

審判団(A) 4Round

審判団(B) 3Round

制限選択飛回数 4回  
自由選択飛回数 3回  
難易率合計 7.2以内  
気温 32.0℃  
水温 28.3℃  
天候 晴れ

機械操作 高山 優子

記録主任 木綿 薫

1 内藤 直樹  
2 豊田 健吾  
3 中川 真依  
4 笠井 学  
5 瓶子 笑里佳  
6 中山 拓弥  
7 時政 寛子

1 笠松 眞利子  
2 横山 健  
3 鈴木 羊子  
4 毒島 泰士  
5 湯浅 よしの  
6 近藤 愛彩  
7 三浦 房子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
15	11	平澤 杏里彩									長岡DC							
							ヒラサリ	アリサ										
		103B	1.0	1.7	6.0	7.0	7.5	6.5	6.5	7.0	6.5		34.00	=5	34.00	=5	5.10	222.95
		201B	1.0	1.6	6.0	6.5	6.5	6.5	7.0	7.0	7.0		32.00	8	66.00	6	9.65	
		301B	1.0	1.7	6.5	6.0	5.5	6.0	5.5	5.5	5.5		28.90	=12	94.90	10	26.95	
		403C	1.0	2.2	4.5	6.0	5.5	5.5	6.0	5.5	5.0		36.30	4	131.20	6	29.05	
		104B	1.0	2.3	5.0	5.5	5.0	5.0	4.5	5.0	4.0		34.50	13	165.70	7	31.35	
		203C	1.0	2.0	5.0	5.0	5.5	5.5	4.5	5.5	4.5		31.00	13	196.70	=9	39.95	
		303C	1.0	2.1	4.0	4.5	4.5	4.5	4.0	4.0	4.0		26.25	18	222.95	11	55.60	
11	12	松崎 志緒乃									栃木DC							
		103B	1.0	1.7	7.0	7.0	6.0	7.0	7.0	6.0	6.5		34.85	4	34.85	4	4.25	217.55
		403C	1.0	2.2	5.0	5.0	4.5	5.5	5.5	5.0	5.5		34.10	4	68.95	3	6.70	
		301B	1.0	1.7	6.5	6.5	7.5	7.0	7.0	7.0	7.0		35.70	6	104.65	=3	17.20	
		201B	1.0	1.6	4.5	4.0	4.0	4.5	5.0	4.0	4.5		20.80	22	125.45	9	34.80	
		203B	1.0	2.3	4.5	3.0	4.5	3.5	4.0	5.5	3.5		27.60	18	153.05	14	44.00	
		303C	1.0	2.1	4.0	4.0	3.5	3.5	3.5	4.0	3.5		23.10	21	176.15	14	60.50	
		104B	1.0	2.3	5.0	6.0	6.0	6.5	6.0	6.0	5.0		41.40	4	217.55	12	61.00	
17	13	勝 穂奈美									J S S宝塚							
		401B	1.0	1.5	7.5	7.5	7.0	7.5	7.5	7.5	7.5		33.75	7	33.75	7	5.35	215.95
		103B	1.0	1.7	6.0	7.0	7.0	7.5	6.5	7.0	6.5		34.85	3	68.60	4	7.05	
		301A	1.0	1.8	5.5	4.0	4.0	3.5	4.5	4.0	4.0		21.60	=20	90.20	13	31.65	
		201A	1.0	1.7	6.0	7.0	6.5	7.0	6.0	6.5	6.0		32.30	=8	122.50	11	37.75	
		203C	1.0	2.0	5.5	5.5	6.5	6.0	6.5	6.0	5.0		35.00	12	157.50	13	39.55	
		403C	1.0	2.2	4.5	4.5	3.5	4.5	4.0	4.5	4.5		29.70	16	187.20	13	49.45	
		104B	1.0	2.3	4.0	3.5	5.0	5.0	4.5	4.0	3.5		28.75	15	215.95	13	62.60	
16	14	黒川 菜々実									大阪水泳学校							
		401B	1.0	1.5	7.5	7.0	6.5	7.0	7.0	7.0	7.0		31.50	9	31.50	9	7.60	212.40
		103B	1.0	1.7	5.5	6.0	6.5	5.5	6.0	5.5	6.0		29.75	11	61.25	11	14.40	
		201B	1.0	1.6	6.5	7.0	7.5	7.5	8.0	7.0	7.0		34.40	8	95.65	8	26.20	
		301B	1.0	1.7	6.5	6.5	6.0	6.5	6.5	6.5	7.0		33.15	7	128.80	7	31.45	
		403C	1.0	2.2	6.0	6.0	5.5	6.5	5.5	6.0	6.0		39.60	7	168.40	6	28.65	
		203C	1.0	2.0	3.5	4.0	3.5	3.5	4.5	4.5	3.5		22.00	23	190.40	12	46.25	
		104C	1.0	2.2	3.0	3.0	3.0	4.0	4.0	4.0	2.5		22.00	22	212.40	14	66.15	
12	15	三島 友莉恵									神辺SPC							
		103B	1.0	1.7	6.5	7.0	6.5	6.5	6.0	6.0	5.5		32.30	8	32.30	8	6.80	207.05
		201B	1.0	1.6	5.5	4.0	4.0	4.0	4.5	4.0	4.5		20.00	23	52.30	21	23.35	
		301B	1.0	1.7	4.0	4.5	4.5	4.5	4.5	4.0	4.5		22.95	19	75.25	22	46.60	
		403C	1.0	2.2	4.0	5.0	4.5	4.5	5.5	5.0	5.0		31.90	10	107.15	19	53.10	
		104C	1.0	2.2	5.0	5.0	5.5	6.0	5.5	5.5	5.5		36.30	11	143.45	15	53.60	
		203C	1.0	2.0	5.5	5.0	5.0	5.5	4.5	4.5	5.0		30.00	=14	173.45	15	63.20	
		303C	1.0	2.1	4.5	6.0	5.5	5.0	5.5	5.5	5.0		33.60	10	207.05	15	71.50	

第40回 全国JOCジュニアオリンピック  
夏季水泳競技大会 (飛込競技)

採点詳細

女子 1m 飛板飛込 決勝

12-13

開催日 2017/08/24  
大阪プール

審判長 谷内 寛

審判団(A) 4Round

審判団(B) 3Round

制限選択飛回数 4回  
自由選択飛回数 3回  
難易率合計 7.2以内  
気温 32.0℃  
水温 28.3℃  
天候 晴れ

機械操作 高山 優子

記録主任 木綿 薫

1 内藤 直樹  
2 豊田 健吾  
3 中川 真依  
4 笠井 学  
5 瓶子 笑里佳  
6 中山 拓弥  
7 時政 寛子

1 笠松 真利子  
2 横山 健  
3 鈴木 羊子  
4 毒島 泰士  
5 湯浅 よしの  
6 近藤 愛彩  
7 三浦 房子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
10	16	田所 三夏姫									栃木DC							
		103B	1.0	1.7	5.0	6.0	5.5	5.5	5.5	5.5	5.5 5.5		28.05	=18	28.05	=18	11.05	193.65
		201B	1.0	1.6	5.5	5.5	5.0	5.0	5.0	5.5	5.5 5.5		26.40	=17	54.45	18	21.20	
		301B	1.0	1.7	5.0	5.5	6.0	6.0	6.0	5.5	5.5 5.5		28.90	=12	83.35	17	38.50	
		403C	1.0	2.2	5.0	4.0	4.0	4.5	3.5	4.0	4.0 4.0		26.40	17	109.75	17	50.50	
		104C	1.0	2.2	4.5	4.0	5.0	4.5	4.5	5.0	5.0 5.0		30.80	16	140.55	16	56.50	
		203C	1.0	2.0	6.0	5.0	5.0	5.0	5.0	4.5	4.5 4.5		30.00	=14	170.55	16	66.10	
		303C	1.0	2.1	3.5	4.0	3.5	3.5	4.5	4.0	3.0		23.10	21	193.65	16	84.90	
6	17	猪瀬 紫苑									栃木DC							
		201B	1.0	1.6	5.5	5.5	4.5	4.5	5.0	5.0	5.0 5.0		24.00	23	24.00	23	15.10	191.90
		301B	1.0	1.7	5.5	5.0	5.0	5.0	5.5	5.0	5.0 5.0		25.50	20	49.50	23	26.15	
		103B	1.0	1.7	5.5	5.0	5.5	5.5	6.0	5.0	5.5 5.5		28.05	=15	77.55	21	44.30	
		403C	1.0	2.2	3.5	3.0	2.5	3.0	3.5	2.5	3.0		19.80	23	97.35	22	62.90	
		104B	1.0	2.3	4.5	5.0	4.5	4.5	4.5	4.5	5.0		31.05	15	128.40	21	68.65	
		203C	1.0	2.0	5.5	5.0	5.5	5.5	5.5	4.5	4.5 4.5		32.00	=11	160.40	19	76.25	
		303C	1.0	2.1	5.0	5.5	6.0	4.5	5.0	5.0	5.0 5.0		31.50	=11	191.90	17	86.65	
8	18	井澤 美月									香川DC							
		103B	1.0	1.7	5.0	6.0	5.5	5.5	6.0	6.0	6.0 5.5		28.90	17	28.90	17	10.20	190.75
		201B	1.0	1.6	5.5	6.0	5.0	5.0	6.5	5.5	5.5 5.5		26.40	=17	55.30	17	20.35	
		301B	1.0	1.7	5.0	6.0	5.5	5.0	6.5	6.0	6.0 6.0		29.75	11	85.05	15	36.80	
		401B	1.0	1.5	5.5	6.0	6.5	5.5	6.0	6.0	6.0 6.0		27.00	16	112.05	16	48.20	
		203C	1.0	2.0	4.5	4.0	5.0	4.0	4.5	5.0	4.5 4.5		27.00	19	139.05	17	58.00	
		403C	1.0	2.2	4.0	3.5	4.0	3.5	3.5	3.5	4.0 4.0		24.20	19	163.25	18	73.40	
		104C	1.0	2.2	4.0	4.5	4.5	4.0	4.0	4.5	4.0 4.0		27.50	=16	190.75	18	87.80	
4	19	山口 麻衣									トビウヅrDC							
		103B	1.0	1.7	6.0	5.5	6.5	6.0	5.5	5.5	6.0 6.0		29.75	=14	29.75	=14	9.35	185.15
		201B	1.0	1.6	6.5	6.0	5.5	6.0	5.5	6.5	7.0 7.0		29.60	12	59.35	13	16.30	
		301B	1.0	1.7	4.0	4.0	4.0	4.5	4.0	4.0	4.0 4.0		20.40	23	79.75	19	42.10	
		401B	1.0	1.5	6.0	6.5	5.5	6.0	6.5	6.5	6.0 6.0		27.75	15	107.50	18	52.75	
		104C	1.0	2.2	4.0	3.5	4.0	4.5	4.0	4.0	4.5 4.5		26.40	20	133.90	18	63.15	
		303C	1.0	2.1	4.5	3.5	4.5	4.0	4.0	4.5	4.0 4.0		26.25	17	160.15	20	76.50	
		203C	1.0	2.0	4.5	4.0	5.5	4.0	4.0	4.5	4.0 4.0		25.00	19	185.15	19	93.40	
1	20	伊坂 琴音									三重DC							
		201A	1.0	1.7	6.5	5.5	6.0	5.5	5.5	6.0	6.0 6.0		29.75	=14	29.75	=14	9.35	182.90
		103B	1.0	1.7	4.0	4.5	4.5	4.5	4.5	4.5	5.0 5.0		22.95	22	52.70	20	22.95	
		301B	1.0	1.7	5.0	5.0	4.5	4.0	5.0	5.0	5.0 5.0		25.50	18	78.20	20	43.65	
		401C	1.0	1.4	5.5	5.0	5.0	5.0	5.0	5.0	5.0 5.0		21.00	21	99.20	21	61.05	
		104C	1.0	2.2	5.0	4.5	4.5	4.0	4.5	4.5	4.0 4.0		29.70	17	128.90	20	68.15	
		302C	1.0	1.6	4.5	4.5	5.0	5.0	5.0	5.0	5.0 5.0		24.00	20	152.90	21	83.75	
		203C	1.0	2.0	5.0	5.0	5.0	4.0	5.0	5.0	5.0 5.0		30.00	=13	182.90	20	95.65	

第40回 全国JOCジュニアオリンピック  
夏季水泳競技大会 (飛込競技)

採点詳細

女子 1m 飛板飛込 決勝

12-13

開催日 2017/08/24  
大阪プール

審判長 谷内 覚

審判団(A) 4Round

審判団(B) 3Round

制限選択飛回数 4回  
自由選択飛回数 3回  
難易率合計 7.2以内  
気温 32.0℃  
水温 28.3℃  
天候 晴れ

機械操作 高山 優子  
記録主任 木綿 薫

1 内藤 直樹  
2 豊田 健吾  
3 中川 真依  
4 笠井 学  
5 瓶子 笑里佳  
6 中山 拓弥  
7 時政 寛子

1 笠松 真利子  
2 横山 健  
3 鈴木 羊子  
4 毒島 泰士  
5 湯浅 よしの  
6 近藤 愛彩  
7 三浦 房子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
13	21	浜坂 萌音									ハマサカ モネ イネサマリ								
		103B	1.0	1.7	5.0	5.0	5.0	5.0	5.0	5.5	5.0 6.0		25.50	22	25.50	22	13.60	180.20	
		201B	1.0	1.6	7.0	6.5	6.0	6.5	7.0	7.0	7.0 7.0		32.80	7	58.30	15	17.35		
		301B	1.0	1.7	5.5	7.0	6.5	6.5	6.5	6.5	5.5 6.5		33.15	=9	91.45	12	30.40		
		5122D	1.0	1.9	4.5	4.0	4.5	4.0	5.0	4.0	4.0 4.0		23.75	18	115.20	15	45.05		
		104C	1.0	2.2	2.5	2.0	2.5	2.5	2.5	3.0	3.0 2.0		16.50	23	131.70	19	65.35		
		203C	1.0	2.0	5.5	4.5	6.0	4.5	5.5	5.5	5.5 5.0		32.00	=11	163.70	17	72.95		
		403C	1.0	2.2	2.0	3.0	3.0	2.0	2.0	3.0	2.5		16.50	23	180.20	21	98.35		
5	22	渡邊 奏音									ワタナベ カン 福岡DC								
		101A	1.0	1.4	6.0	6.0	6.5	6.5	6.0	6.0	6.5 6.0		25.90	21	25.90	21	13.20	179.50	
		301A	1.0	1.8	5.0	4.5	5.0	4.5	5.5	5.0	5.0 5.0		27.00	16	52.90	19	22.75		
		201A	1.0	1.7	5.5	5.0	5.0	6.0	6.0	6.0	5.5 5.0		27.20	17	80.10	18	41.75		
		5111A	1.0	1.8	4.5	4.0	4.5	4.0	3.0	4.5	4.5		23.40	19	103.50	20	56.75		
		203C	1.0	2.0	3.5	3.0	4.5	3.5	4.0	4.0	3.5		22.00	22	125.50	22	71.55		
		401B	1.0	1.5	5.0	4.5	5.0	5.0	5.0	5.5	5.5		22.50	22	148.00	22	88.65		
		5211A	1.0	1.8	5.5	6.0	5.5	7.5	5.5	6.0	6.5		31.50	=11	179.50	22	99.05		
2	23	古川 こころ									フルカワ ココ 香川DC								
		103B	1.0	1.7	5.5	5.5	5.0	5.0	5.5	5.5	5.5 5.5		28.05	=18	28.05	=18	11.05	173.80	
		201B	1.0	1.6	4.5	4.5	5.0	5.0	4.5	5.5	5.0		23.20	21	51.25	22	24.40		
		301B	1.0	1.7	4.0	4.5	4.0	4.5	4.0	4.0	4.5		21.25	22	72.50	23	49.35		
		401B	1.0	1.5	5.5	5.0	5.0	4.5	4.5	5.5	5.0		22.50	20	95.00	23	65.25		
		203C	1.0	2.0	4.5	4.5	5.0	4.0	4.0	5.0	4.0		26.00	21	121.00	23	76.05		
		403C	1.0	2.2	4.0	4.0	4.0	2.5	3.0	4.0	3.5		25.30	18	146.30	23	90.35		
		104C	1.0	2.2	4.0	4.0	4.5	4.0	4.0	4.5	4.5		27.50	=16	173.80	23	104.75		