

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

男子 高飛込 決勝 14-15

開催日 2017/08/24
大阪プール

制限選択飛回数 4回
自由選択飛回数 4回
難易率合計 7.6以内
気温 32.0℃
水温 28.3℃
天候 晴れ

審判長 山崎 雅夫
副審判長 笠松 眞利子
機械操作 加藤 雄樹
記録主任 木綿 薫

審判団(A) 4Round
1 重永 美希子
2 安田 千万樹
3 柴田 哲治
4 荒木 駆函
5 小谷 理貴子
6 伊熊 千香子
7 中山 拓弥
審判団(B) 4Round
1 百千田 幸太郎
2 湯浅 よしの
3 澄川 真寿美
4 毒島 泰士
5 秋山 真有美
6 三浦 房子
7 近藤 愛彩

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
13	1	山本 馨									大分DC							
			103B	10.0	1.6	7.5	7.0	7.0	6.5	6.0	ヤマトケイ		34.40	=2	34.40	=2	2.40	395.50
			403B	10.0	2.0	8.5	8.5	8.5	7.5	8.5	大分DC		51.00	1	85.40	1		
			301B	10.0	1.9	9.0	9.0	9.0	8.5	8.5	大分DC		50.35	1	135.75	1		
			5132D	10.0	2.1	6.0	6.0	7.0	7.0	5.0	大分DC		37.80	4	173.55	1		
			5253B	10.0	3.2	7.5	6.5	6.5	7.0	6.0	大分DC		65.60	1	239.15	1		
			407C	10.0	3.2	7.0	7.0	7.0	7.0	7.0	大分DC		67.20	1	306.35	1		
			6243D	10.0	3.2	5.0	5.5	6.5	5.0	5.0	大分DC		51.20	1	357.55	1		
			207C	10.0	3.3	3.5	4.0	4.0	4.0	3.5	大分DC		37.95	4	395.50	1		
11	2	大竹 玲央									群馬DC							
			103B	10.0	1.6	6.5	7.0	7.5	6.5	7.0	群馬DC		34.40	=2	34.40	=2	2.40	342.30
			403B	10.0	2.0	7.5	7.5	7.0	7.5	7.0	群馬DC		43.00	3	77.40	2	8.00	
			301B	7.5	1.9	5.5	6.0	5.5	6.0	5.5	群馬DC		31.35	=6	108.75	3	27.00	
			5231D	7.5	2.0	6.0	6.0	6.0	6.0	6.0	群馬DC		36.00	6	144.75	4	28.80	
			405C	7.5	2.7	6.0	6.5	6.5	6.0	5.5	群馬DC		48.60	2	193.35	3	45.80	
			205C	7.5	2.8	6.0	6.5	6.0	6.0	5.5	群馬DC		50.40	2	243.75	2	62.60	
			305C	7.5	2.9	4.5	5.5	6.0	5.5	5.5	群馬DC		47.85	4	291.60	2	65.95	
			105B	5.0	2.6	6.5	6.5	7.0	6.5	5.5	群馬DC		50.70	2	342.30	2	53.20	
9	3	柴 秀斗									ジョイフル							
			103B	10.0	1.6	6.0	6.0	6.0	7.0	7.0	ジョイフル		32.00	5	32.00	5	4.80	324.30
			201B	10.0	1.8	7.5	8.0	7.0	8.0	7.5	ジョイフル		42.30	4	74.30	5	11.10	
			301B	10.0	1.9	4.5	4.5	4.0	4.5	4.5	ジョイフル		25.65	9	99.95	6	35.80	
			403B	10.0	2.0	6.0	5.5	6.0	6.0	6.5	ジョイフル		37.00	5	136.95	7	36.60	
			205C	7.5	2.8	3.0	4.0	4.5	4.0	4.0	ジョイフル		33.60	7	170.55	6	68.60	
			107C	10.0	2.7	6.0	6.5	6.5	6.0	5.5	ジョイフル		48.60	3	219.15	4	87.20	
			5152B	10.0	2.9	6.5	5.5	4.5	6.5	6.5	ジョイフル		50.75	2	269.90	4	87.65	
			407C	10.0	3.2	6.5	6.0	5.5	5.5	5.5	ジョイフル		54.40	1	324.30	3	71.20	
8	4	田邊 誠太郎									三重DC							
			103B	10.0	1.6	5.5	5.5	5.5	6.0	6.0	三重DC		27.20	=7	27.20	=7	9.60	296.50
			201B	10.0	1.8	7.0	7.5	6.5	8.0	6.0	三重DC		38.70	7	65.90	7	19.50	
			301B	10.0	1.9	7.5	7.0	7.0	7.5	7.0	三重DC		39.90	2	105.80	5	29.95	
			403B	10.0	2.0	7.5	7.5	7.0	7.5	7.5	三重DC		45.00	1	150.80	2	22.75	
			612B	10.0	1.9	4.5	4.5	5.0	5.0	4.5	三重DC		27.55	8	178.35	4	60.80	
			5132D	7.5	2.1	6.5	6.5	6.0	6.5	6.0	三重DC		38.85	4	217.20	5	89.15	
			105B	5.0	2.6	6.5	5.5	6.0	5.5	5.5	三重DC		44.20	6	261.40	5	96.15	
			405C	7.5	2.7	3.0	4.5	4.5	4.5	4.0	三重DC		35.10	5	296.50	4	99.00	
7	5	坂田 慈央									ジョイフル							
			103B	7.5	1.6	7.5	8.5	7.5	7.5	7.5	ジョイフル		36.80	1	36.80	1		295.65
			201B	7.5	1.8	7.5	7.5	7.0	7.5	7.0	ジョイフル		40.50	=5	77.30	3	8.10	
			301B	7.5	1.9	6.0	5.5	5.5	5.0	5.5	ジョイフル		31.35	=6	108.65	4	27.10	
			5132D	7.5	2.1	6.5	6.5	6.5	6.5	7.0	ジョイフル		40.95	2	149.60	3	23.95	
			105B	5.0	2.6	6.5	6.0	5.5	6.0	5.5	ジョイフル		45.50	3	195.10	2	44.05	
			405C	5.0	3.1	3.5	4.0	4.5	4.0	4.0	ジョイフル		37.20	5	232.30	3	74.05	
			303C	5.0	2.1	7.0	6.5	6.0	6.5	7.5	ジョイフル		40.95	7	273.25	3	84.30	
			205C	7.5	2.8	2.5	2.5	3.5	3.0	2.5	ジョイフル		22.40	10	295.65	5	99.85	

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

男子 高飛込 決勝 14-15

開催日 2017/08/24
大阪プール

制限選択飛回数 4回
自由選択飛回数 4回
難易率合計 7.6以内
気温 32.0℃
水温 28.3℃
天候 晴れ

審判長 山崎 雅夫
副審判長 笠松 眞利子
機械操作 加藤 雄樹
記録主任 木綿 薫

審判団(A) 4Round
1 重永 美希子
2 安田 千万樹
3 柴田 哲治
4 荒木 駆函
5 小谷 理貴子
6 伊熊 千香子
7 中山 拓弥
審判団(B) 4Round
1 百千田 幸太郎
2 湯浅 よしの
3 澄川 真寿美
4 毒島 泰士
5 秋山 真有美
6 三浦 房子
7 近藤 愛彩

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
10	6	片岡 龍之介									カタカ リュウスケ コンセント								
			103B	10.0	1.6	6.0	6.0	5.5	5.5	6.0	6.5	6.5	28.80	6	28.80	6	8.00	278.75	
			403B	10.0	2.0	5.5	5.5	5.5	6.0	5.5	5.5	6.5	33.00	8	61.80	8	23.60		
			201B	10.0	1.8	6.5	7.0	6.5	7.0	7.5	7.0	7.5	37.80	3	99.60	7	36.15		
			301B	10.0	1.9	7.5	7.0	6.5	7.0	7.5	7.0	7.5	40.85	3	140.45	6	33.10		
			405C	7.5	2.7	4.5	4.0	4.5	5.0	4.5	4.5	4.5	36.45	4	176.90	5	62.25		
			5152B	10.0	2.9	2.5	3.5	4.0	3.0	3.5	3.5	3.5	30.45	10	207.35	6	99.00		
			305C	10.0	2.8	6.0	5.5	6.5	6.0	6.0	6.0	6.0	50.40	3	257.75	6	99.80		
			205C	7.5	2.8	2.0	2.5	2.5	2.5	3.0	2.5	3.0	21.00	11	278.75	6	116.75		
5	7	我妻 知探									ワケツマ チタン 川口SC								
			103B	7.5	1.6	5.0	5.0	6.0	5.5	5.0	6.5	5.0	24.80	10	24.80	10	12.00	262.95	
			403B	7.5	2.1	7.0	7.0	6.5	7.0	7.0	7.0	7.0	44.10	2	68.90	6	16.50		
			201B	7.5	1.8	6.5	5.5	5.5	6.0	5.0	5.5	6.5	30.60	8	99.50	8	36.25		
			301B	7.5	1.9	6.0	5.5	6.0	5.5	6.0	6.5	5.5	33.25	7	132.75	8	40.80		
			5111A	5.0	1.8	5.0	5.5	4.5	5.5	5.0	5.0	4.0	27.00	9	159.75	7	79.40		
			612B	7.5	1.8	4.0	4.0	4.5	4.5	4.5	5.0	5.0	24.30	11	184.05	8	122.30		
			105B	7.5	2.4	5.0	5.5	5.0	6.0	5.0	5.5	6.0	38.40	8	222.45	8	135.10		
			405C	7.5	2.7	5.0	5.0	4.5	5.5	5.0	4.5	5.0	40.50	3	262.95	7	132.55		
12	8	竹谷 隆									タケ リュウ 福山T. C								
			103B	10.0	1.6	7.5	7.0	6.5	7.0	7.5	7.0	7.5	34.40	=2	34.40	=2	2.40	261.30	
			201B	10.0	1.8	7.5	7.5	7.5	8.0	7.5	7.5	7.5	40.50	=5	74.90	4	10.50		
			301B	10.0	1.9	6.0	5.5	6.0	6.0	6.0	6.0	6.0	34.20	5	109.10	2	26.65		
			403B	10.0	2.0	5.5	5.5	5.5	5.5	5.0	6.0	6.0	33.00	8	142.10	5	31.45		
			305C	10.0	2.8	1.5	1.0	1.0	1.5	1.0	2.5	2.5	11.20	11	153.30	8	85.85		
			5235D	10.0	2.8	4.0	3.5	3.5	4.0	4.0	4.5	4.0	33.60	8	186.90	7	119.45		
			405C	7.5	2.7	5.5	6.0	6.5	5.5	5.5	5.5	6.0	45.90	5	232.80	7	124.75		
			107B	10.0	3.0	3.0	2.5	3.5	3.5	3.0	2.5	3.5	28.50	9	261.30	8	134.20		
6	9	川口 航輝									カワグチ コウキ FDC								
			103B	10.0	1.6	5.0	4.5	4.5	5.0	4.5	5.5	4.5	22.40	11	22.40	11	14.40	234.35	
			403B	10.0	2.0	5.0	4.0	4.5	4.5	5.0	4.5	4.5	27.00	9	49.40	11	36.00		
			301B	10.0	1.9	6.5	6.5	6.5	7.0	6.0	6.5	7.0	37.05	4	86.45	9	49.30		
			5132D	10.0	2.1	5.5	4.0	5.0	5.0	4.5	4.5	5.5	30.45	9	116.90	9	56.65		
			612B	10.0	1.9	4.5	4.5	4.5	5.0	4.0	4.5	4.5	25.65	10	142.55	9	96.60		
			105B	7.5	2.4	4.5	4.5	5.0	4.5	4.5	4.5	5.0	32.40	9	174.95	9	131.40		
			405C	7.5	2.7	3.0	3.0	3.5	4.0	3.5	3.5	3.5	28.35	9	203.30	9	154.25		
			203B	5.0	2.3	4.5	4.5	4.5	5.0	4.5	5.0	4.5	31.05	6	234.35	9	161.15		
1	10	貝塚 祐月									カイヅカ ユツキ 和歌山DC								
			401B	7.5	1.4	6.0	6.0	6.0	6.5	5.5	7.0	6.0	25.20	9	25.20	9	11.60	232.00	
			103B	7.5	1.6	5.5	5.0	5.5	5.5	5.0	5.5	6.5	26.40	10	51.60	9	33.80		
			201B	7.5	1.8	4.5	4.5	4.0	4.5	4.0	4.5	4.0	23.40	11	75.00	11	60.75		
			301B	7.5	1.9	4.5	5.0	5.0	4.0	5.0	5.0	4.5	27.55	10	102.55	10	71.00		
			403B	10.0	2.0	6.5	6.5	5.5	6.0	5.5	5.5	6.5	36.00	=5	138.55	10	100.60		
			105B	7.5	2.4	5.0	5.5	5.5	5.0	5.0	5.0	5.0	36.00	7	174.55	10	131.80		
			203C	5.0	2.0	4.0	4.5	4.5	4.5	5.0	4.0	4.5	27.00	10	201.55	10	156.00		
			5231D	5.0	2.1	6.0	4.5	4.5	5.0	5.0	5.0	4.0	30.45	7	232.00	10	163.50		

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

男子 高飛込 決勝 14-15

開催日 2017/08/24
大阪プール

制限選択飛回数 4回
自由選択飛回数 4回
難易率合計 7.6以内
気温 32.0℃
水温 28.3℃
天候 晴れ

審判長 山崎 雅夫
副審判長 笠松 眞利子
機械操作 加藤 雄樹
記録主任 木綿 薫

審判団(A) 4Round
1 重永 美希子
2 安田 千万樹
3 柴田 哲治
4 荒木 駆図
5 小谷 理貴子
6 伊熊 千香子
7 中山 拓弥
審判団(B) 4Round
1 百千田 幸太郎
2 湯浅 よしの
3 澄川 真寿美
4 毒島 泰士
5 秋山 真有美
6 三浦 房子
7 近藤 愛彩

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
4	11	三浦 論太郎						ミウラ リンタロウ			東北		27.20	=7	27.20	=7	9.60	223.80
		103B	7.5	1.6	6.0	6.0	5.5	5.5	5.5	6.0	5.5		27.20	=7	27.20	=7	9.60	223.80
		201B	7.5	1.8	4.5	4.5	5.0	4.0	4.0	4.5	5.0		24.30	11	51.50	10	33.90	
		301B	7.5	1.9	4.5	3.5	5.5	4.0	4.0	4.5	4.5		24.70	10	76.20	10	59.55	
		403B	7.5	2.1	4.0	3.5	4.5	3.0	3.0	3.5	3.0		21.00	11	97.20	11	76.35	
		105B	7.5	2.4	6.0	5.0	5.0	5.5	5.0	5.0	5.0		36.00	=5	133.20	11	105.95	
		405C	7.5	2.7	4.0	4.0	4.5	4.5	4.5	4.5	4.5		36.45	6	169.65	11	136.70	
		203B	5.0	2.3	2.5	3.5	3.5	3.5	3.5	3.0	4.0		24.15	11	193.80	11	163.75	
		5233D	5.0	2.5	4.0	4.0	4.0	4.0	4.5	4.0	4.0		30.00	8	223.80	11	171.70	

2	棄権	久保谷 諒介						クボヤ リョウスケ			川口SC							
		103B	10.0	1.6														
		403B	10.0	2.0														
		201B	7.5	1.8														
		301B	7.5	1.9														
		105B	7.5	2.4														
		5132D	7.5	2.1														
		614B	10.0	2.4														
		405C	7.5	2.7														

3	棄権	林 凜太郎						ハヤシ リンタロウ			イネサダヲ							
---	----	-------	--	--	--	--	--	-----------	--	--	-------	--	--	--	--	--	--	--